Index

Reactor Materials

Volume 5

Included in this issue is the index for Volume 5 of *Reactor Materials*. An index for this quarterly is prepared annually and appears in the final (Number 4) issue. A cumulative index for Volumes 4 to 6 will appear in the November 1963 issue. Here the bold numbers denote issues, and the other numbers denote pages.

A

Adhesive bonds, nondestructive testing, **2**: 75–6
Allen PBX, corrosion by K, **4**: 62
Alloys, alkali-metal corrosion, **4**: 63
Alloys (high-strength), tensile properties, **4**: 72
Alloys (irradiated), property changes, **4**: 68
Alloys (refractory), forging, **3**: 65
Alloys (superlattice) (irradiated), phase transformation, **4**: 6–7
Alloys (supersaturated) (irradiated), phase transformation, **4**: 7
Aluminides, protective coatings for Nb alloys and Ta, **1**: 38
Aluminum, bonding, **1**: 71
  corrosion, **1**: 39, 41; **2**: 43; **4**: 58
  diffusion bonding, **1**: 67
  diffusion in Nb, **4**: 47
  explosive extrusion, **1**: 70
  explosive joining to mild steel, **1**: 71
  extrusion, **1**: 64
  Mn diffusion in, **1**: 58–9
  plating, **3**: 68
  self-diffusion, **1**: 58–9
  slip, **1**: 56
  solubility in Pu, **4**: 23
  U diffusion into, **4**: 21
  U solubility in, **4**: 21
Aluminum (irradiated), annealing, **1**: 44
  damage, **1**: 44; **2**: 49
  dislocations, **2**: 48; **4**: 64
  fission tracks, **3**: 45; **4**: 63–4
  ion range, **2**: 48; **4**: 64–5
  mechanical properties, **1**: 49
Aluminum (molten), reaction, with steam, **2**: 47
  with water, **3**: 43–4
  with water vapor, **1**: 44
Aluminum (sintered), friction welding, **2**: 70
  magnetic-force welding, **4**: 85–6
  technology, **2**: 65–6
Aluminum alloys, corrosion, **2**: 43
  diffusion bonding, **2**: 67–8
  explosive forming, **2**: 71
  grain refinement, **3**: 56
  roll cladding, **4**: 80–1
Aluminum alloys (irradiated), vacancy trapping, **1**: 46
Aluminum alloys (1100), corrosion, **1**: 39; **2**: 43
Aluminum alloys (1100) (irradiated), mechanical properties, **1**: 49
Aluminum alloys (1100)–uranium oxide-fueled glass dispersions (irradiated), stability, **4**: 26–7
Aluminum alloys (2024-T3), overaging, **4**: 70–1
Aluminum alloys (5154), corrosion, **1**: 39
Aluminum alloys (6061), corrosion, **1**: 39; **2**: 43
Aluminum alloys (6063) (irradiated), mechanical properties, **1**: 49
Aluminum alloys (6068), corrosion, **3**: 38
Aluminum alloys (X2219) (irradiated), mechanical properties, **1**: 49
Aluminum alloys (X8001), corrosion, **1**: 39; **2**: 43
  welding, **1**: 72
Aluminum alloys (X8001) (irradiated), mechanical properties, **1**: 49
Aluminum–aluminum oxide dispersions, tensile properties, **2**: 52
Aluminum-calcium-plutonium alloys, aqueous corrosion, **4**: 23
Aluminum-chromium-iron alloys, corrosion, **1**: 40
  explosive forming, **2**: 72
Aluminum-chromium-iron-thorium alloys, oxidation, **4**: 60
Aluminum-chromium-iron-yttrium alloys, corrosion, **1**: 40; **4**: 60
  oxidation, **2**: 44; **4**: 60
  rupture, **1**: 53
  stress oxidation, **1**: 53
  tensile strength, **1**: 53
Aluminum-chromium-niobium-titanium alloys, oxidation, **3**: 40
Aluminum-chromium-rhenium-yttrium alloys, corrosion, **4**: 60
  yield strength, **4**: 72
Aluminum-chromium-silicon mixtures, diffusion coating with, **3**: 70
Aluminum-copper-plutonium alloys, aqueous corrosion, **4**: 23
Aluminum-iron alloys, ductility, **4**: 72–3
Aluminum-iron-nickel alloys, corrosion, **2**: 43
Aluminum-iron-nitrogen systems, cubic nitrides, **3**: 57
Aluminum-magnesium alloys (A-3XA-0) (irradiated), mechanical properties, **4**: 71
Aluminum-magnesium-oxygen system (irradiated), damage bibliography, **1**: 48
Aluminum-magnesium-plutonium alloys, aqueous corrosion, **4**: 23
Aluminum-molybdenum-silicon-uranium system, creep and tensile properties, **1**: 3
Aluminum-molybdenum-tin-zirconium alloys, corrosion, **2**: 46
  electrical resistivity, **4**: 73
  fabrication, **3**: 65
  mechanical properties, **3**: 65
  thermal conductivity, **4**: 73
  welding, **3**: 65, 70–1
Aluminum-molybdenum-uranium alloys, casting, **2**: 65
  creep properties, **1**: 3
  tensile properties, **1**: 3
Aluminum-molybdenum-zirconium alloys, aging and properties, **2**: 53
Aluminum-nickel alloys, aqueous corrosion, **4**: 58
Aluminum-nickel-nitrogen system, cubic nitrides, **3**: 56
Aluminum-nickel-plutonium alloys, aqueous corrosion, **4**: 23
Aluminum-nickel-plutonium alloys (Zircaloy-2-clad) (irradiated), effects, **2**: 8
Aluminum-nickel-titanium alloys, corrosion, **1**: 39–40
Aluminum-nickel-uranium bonds, metallography and quality, **4**: 81
Aluminum-niobium-tin-zirconium alloys, creep properties, **2**: 53
Aluminum-niobium-titanium alloys, oxidation, **1**: 38; **3**: 40
Aluminum-niobium-vanadium alloys, compatibility with UC, **1**: 17
Aluminum-niobium-zirconium alloys, creep properties, **2**: 53
Aluminum oxide, chemical plating with, **1**: 69
  coating with fissionable oxide, **1**: 11
  corrosion, **1**: 41; **4**: 62
  forming with ultrasonic energy, **2**: 74
  fracture analysis, **3**: 59–60
  hot pressing, **2**: 74
  vapor coating with, **3**: 69
Aluminum oxide (irradiated), annealing, **1**: 48
  catalytic activity, **4**: 9
  effects, **4**: 3, 5, 7
  gas absorption, **4**: 9
  gas diffusion, **4**: 10
Aluminum oxide coatings, compatibility with gaseous coolants, **1**: 10
  crushing strength, **1**: 10

Aluminum oxide coatings (Continued)
overcoating with C, 1: 11
oxidation, 1: 10
reaction with C overcoating, 1: 10–11
thermal expansion, 1: 10
Aluminum oxide crucibles, reaction with Mn-Pu-U alloys, 3: 5
Aluminum oxide–magnesium oxide crystals (irradiated), thermal conductivity, 4: 7
Aluminum oxide powder, explosive compaction, 2: 72
Aluminum oxide–rhenium couples, reactions, 3: 59
Aluminum oxide whiskers, vapor deposition, 4: 84
Aluminum-oxygen-uranium system (molten), reaction with water, 4: 21–2
Aluminum-plutonium alloys, corrosion, 1: 5–6
deformation, 1: 6
hardness, 2: 7–8, 10
heat-treatment effects, 1: 6; 2: 8, 10
load-carrying capacity, 1: 6
recrystallization, 2: 7
Aluminum-plutonium alloys (Al-canned), preparation, 4: 83
Aluminum-plutonium alloys (irradiated), deformation, 3: 4
spheroidization, 1: 6
Aluminum-plutonium alloys (S.S.-clad) (irradiated), effects, 4: 23
Aluminum-plutonium-silicon system, aqueous corrosion, 4: 23
Aluminum-plutonium-silicon system (irradiated), deformation, 3: 4
Aluminum-plutonium-uranium alloys, aqueous corrosion, 4: 23
Aluminum-plutonium-zirconium alloys, aqueous corrosion, 4: 23
Aluminum powder (sintered) (irradiated), mechanical and stress-rupture properties, 3: 54
Aluminum powder alloys (M-583) (sintered), friction bonding, 3: 71
Aluminum-silicon system, corrosion, 2: 43
Aluminum-silicon-uranium system, corrosion, 1: 5–6
phase studies, 4: 18
Aluminum-tantalum alloys, corrosion, 2: 47
Aluminum-thorium-uranium alloys (molten), containment, 4: 21
Aluminum-tin-zirconium alloys, aging and tensile properties, 2: 53
Aluminum-titanium-vanadium alloys, explosive extrusion, 1: 71
Aluminum-uranium alloys, corrosion, 1: 5–6
fabrication, 1: 5
phase studies, 4: 20–1
preparation, 3: 3
thermal conductivity, 4: 20
work hardening, 4: 20
Aluminum-uranium alloys (Al-clad), fabrication, 2: 67
U^{235} contamination, 4: 20–1
Aluminum-uranium alloys (Al alloy-clad), coextrusion, 4: 82
Aluminum-uranium alloys (Al alloy-clad) (irradiated), effects, 4: 21
Aluminum-uranium alloys (irradiated), swelling, 3: 3
Aluminum-uranium alloys (molten), reactions with water, 2: 47
Aluminum-uranium compounds, Al diffusion, 2: 4
Aluminum-uranium diffusion couples, annealing and phase-boundary behavior, 3: 3
Aluminum–uranium dioxide dispersions (irradiated), effects, 4: 26
Aluminum–uranium oxide (U_3O_8) dispersions, (irradiated), effects, 3: 3; 4: 26
Aluminum (X8001)–uranium oxide dispersions, welding to Al (X8001), 1: 72
Aluminum-uranium-zirconium alloys, phase studies, 2: 4
Aluminum-zirconium alloys, creep properties, 2: 53
mechanical properties, 2: 53
oxidation, 3: 41
Aluminum-zirconium compounds, corrosion, 2: 42
Arc-melting process, development, 4: 79
Atoms, focusing collisions in chains, 2: 49–50
Azides (irradiated), property changes, 4: 68

B

Barium, diffusion in graphite, 1: 21
Barium-oxygen-uranium system, phase studies, 1: 15; 3: 14
Barium titanate (irradiated), phase transformation, 4: 7
Beryllium, aging, 1: 28–9; 2: 30
annealing, 1: 28; 2: 29
bibliographies, 1: 26; 2: 33–4
brazing, 1: 27; 4: 46
brittleness, 2: 29
casting, 3: 22–3; 4: 44
compatibility with metals and refractories, 3: 25
corrosion, 1: 29; 2: 32, 46; 3: 25–6; 4: 49–50
creep rupture, 3: 25
crystal properties, 1: 28–9
deformation, 1: 26
deoxidation, 1: 64
D_2O effects, 4: 49
diffusion bonding with, 4: 46–7, 81
diffusion in Nb, 4: 47
dislocations, 2: 31
drawing, 1: 27
ductile-brittle transition, 2: 30; 3: 24
ductility, 1: 28–9; 2: 30; 3: 24
dynamic properties, 1: 28
electrical resistivity, 1: 28–9; 2: 31; 4: 45
electrolytic polarization, 3: 25–6
electroplating with, 1: 68
elongation, 1: 28
enthalpy, 3: 24
extrusion, 1: 27; 3: 23; 4: 46
fabrication, 1: 26–7; 2: 28–9; 3: 22–4; 4: 45
fastener properties, 1: 28
fatigue properties, 1: 28
forging, 3: 23
fracture, 1: 26
glide elements, 3: 24
grain size, 4: 44
hardness, 1: 29
heat of fusion, 3: 24
heat-treatment, 1: 28–9
high-temperature stability of beta phase, 3: 24
hot working, 1: 26–7
H behavior in, 2: 31–2
isostatic forming, 3: 23
joining, 1: 27–8
Lorentz ratio, 1: 28; 2: 31
low-temperature properties, 1: 28
lug properties, 1: 28
machining, 1: 27
magnetic properties, 1: 28
mechanical properties, 1: 28–9; 2: 29; 4: 50
melting, 1: 63–4; 3: 24
metallurgy, 1: 27–8
microscopy, 2: 33
notch sensitivity, 1: 28
oxidation, 1: 29
phase transformation, 2: 30–1
physical metallurgy, 2: 29–31; 3: 24; 4: 47–9
physical properties, 1: 28–9; 4: 50
plastic deformation, 2: 33
powder metallurgy, 1: 26
precipitation reaction, 2: 29
pressure welding, 2: 70
production, 3: 22
protective coatings, 2: 33
purity, 1: 26; 3: 22; 4: 44
reaction, 1: 29; 2: 31–2
with CO_2, 1: 29; 2: 31–2
with CO, 1: 29
with UC, 1: 59
with water vapor, 1: 29
rupture, 1: 28
slip casting, 3: 23
specific heat, 3: 24
stress rupture, 3: 25
tensile properties, 1: 26; 2: 29–31; 4: 48–9
tensile strength, 1: 28
thermal conductivity, 1: 28; 2: 31
thermal expansion, 2: 31; 4: 47
thermoelectric power, 1: 28; 2: 31
toxicity, 1: 26; 2: 33; 4: 50
twinning, 1: 28
U diffusion into, 2: 21
vapor deposition, 4: 84
vapor pressure, 3: 28
welding, 1: 27; 2: 29; 3: 23–4
yield, 1: 28
Beryllium (Au-plated), strength, 4: 49
Beryllium (coated), corrosion, 3: 25
Beryllium (irradiated), annealing, 1: 45
bubble formation, 1: 45
damage, 1: 44–5
heavy-ion range, 4: 64–5
H agglomeration, 1: 49
mechanical properties, 2: 31
strength, 3: 27
swelling, 1: 29; 3: 26
thermal conductivity, 4: 49
Beryllium alloys, high-temperature stability of beta phase, 3: 24
production, 3: 22
Beryllium borides, carburization and oxidation, 1: 31
Beryllium-boron system, electrical resistivity, 1: 28
phase studies, 1: 28; 2: 35
Beryllium-calcium-titanium alloys, phase studies, 1: 27
Beryllium chips processing, 2: 33
Beryllium compounds, with Si and Ta, 1: 30
Beryllium-copper alloys, tensile and yield strength, 1: 28
Beryllium-copper alloys (irradiated), annealing, 1: 45–6; 2: 49
electrical resistivity, 2: 49
Beryllium crystals, tensile properties, 4: 45, 48
Beryllium disease, 2: 33
Beryllium films, properties, 4: 47–8
Beryllium foil, preparation and properties, 4: 44
Beryllium-hafnium alloys, properties, 3: 34
Beryllium hydroxide, purification, 2: 34–5
Beryllium ingots, properties, 2: 30
Beryllium-molybdenum-nickel alloys, phase studies, 1: 28
Beryllium-molybdenum-uranium alloys, tensile properties, 1: 3
Beryllium-nickel alloys, high-temperature stability of beta phase, 3: 24
phase studies, 1: 28
Beryllium-nickel-tungsten alloys, phase studies, 1: 28
Beryllium oxide, bibliography, 1: 26, 30
chemical plating with, 1: 69
chemical plating with W, 1: 68
coating with fissionable oxide, 1: 11
compatibility with Mo, Nb, and W, 3: 40

Beryllium oxide (Continued)
compatibility with W crucibles, **3**: 28
corrosion by K, **4**: 62
creep, **2**: 34
crystal properties, **1**: 30
crystallization, **3**: 27
decrepitation, **2**: 34
D_2O effects, **4**: 49
diffusion in graphite, **1**: 21
elasticity, **1**: 30
foamed ceramics, **2**: 35
hot pressing, **2**: 74
lattice parameters, **1**: 30
O diffusion, **1**: 30
phase transformation, **3**: 27
Poisson's ratio, **1**: 30
refractive index, **4**: 50
strength, **1**: 30
synthesis, **3**: 27
thermal properties, **1**: 30
Beryllium oxide (irradiated), annealing, **4**: 8
effects, **2**: 35; **3**: 28, 46; **4**: 3–8, 50, 66, 68
Beryllium oxide (translucent), fabrication and properties, **2**: 34
Beryllium oxide crucibles, reaction with Mn-Pu-U alloys, **3**: 5
Beryllium oxide crystals, growth, **2**: 34
vapor deposition, **4**: 84–5
Beryllium oxide-foamed ceramics, development, **3**: 60
thermal conductivity, **4**: 50–1
Beryllium oxide–molybdenum couples, reactions, **3**: 59
Beryllium oxide–niobium couples, reactions, **3**: 59
Beryllium oxide powder, explosive compaction, **2**: 73
production, **3**: 27
Beryllium oxide–rhenium couples, reactions, **3**: 59
Beryllium oxide–tungsten composite, chemical plating with W, **2**: 69
Beryllium oxide–tungsten couples, reactions, **3**: 59
Beryllium oxide–uranium dioxide ceramics, dissolution, **3**: 27–8
Beryllium oxide–uranium dioxide compacts (irradiated), effects, **4**: 5–6
Beryllium oxide–uranium dioxide pellets (irradiated), effects, **1**: 15
Beryllium oxide–uranium fuels (irradiated), thermal conductivity, **4**: 8
Beryllium-oxygen-thorium-uranium system, phase studies, **2**: 19
sintering, **3**: 28
Beryllium-oxygen-tungsten system, chemical plating with W, **1**: 68
coating with W, **3**: 69
Beryllium-plutonium alloys, preparation, **3**: 5
Beryllium powder, explosive compaction, **2**: 73
metallurgy, **1**: 26
Beryllium sheet, grain refinement, **3**: 24
mechanical properties, **4**: 45–6
tensile properties, **3**: 24; **4**: 45
Beryllium-silicon-tantalum system, phase studies, **1**: 30
Beryllium-thorium alloys, phase studies, **4**: 25
Beryllium-thorium-uranium alloys, structure, **4**: 51
Beryllium tubing, ductility, **2**: 31
fabrication, **4**: 46
heat-treatment, **2**: 31
rupture, **4**: 46
texture, **3**: 24
Beryllium tubing (irradiated), stress-rupture properties, **4**: 49, 70
Beryllium wire, drawing, **3**: 23
Beryllium-zirconium alloys, braze corrosion, **2**: 70
brazing with, **2**: 70; **3**: 71
Beryllium-zirconium compounds, corrosion, **2**: 42
Biotite (irradiated), fission tracks, **1**: 46
Bismuth (molten), corrosive effects, **2**: 47
Bismuth-lead alloys, corrosion of steel, **2**: 46
Bismuth-thorium-uranium alloys, dissolution mass transfer, **3**: 7–8
Boron, chemical plating with, **1**: 69
melting, **1**: 64
Boron (irradiated), heavy-ion range, **4**: 64–5
Boron carbide (irradiated), effects, **3**: 34
He release, **3**: 34; **4**: 55–6
Boron carbide (sintered) (Zr-clad), radiographic testing, **2**: 76
Boron carbide burnable-poison plates (irradiated), dimensional changes, **1**: 36
Boron carbide dispersions [S.S.(347)-clad] (irradiated), effects, **1**: 10
Boron carbide–graphite compacts (irradiated), dimensional changes and strength, **3**: 36
Boron carbide–nickel dispersions, properties, **4**: 55
Boron carbide–nickel dispersions (irradiated), stability, **4**: 55
Boron carbide–silicon carbide compacts (irradiated), He release, **4**: 55–6
Boron carbide–silicon carbide plates (irradiated), dimensional changes, **1**: 36
He release, **3**: 34
Boron-carbon-lithium system, **3**: 35
Boron-carbon-niobium-titanium-vanadium system, tensile properties, **2**: 53
Boron-carbon system, melting, **1**: 64
phase studies, **2**: 40
Boron-chromium-silicon mixtures, diffusion coating with, **3**: 70
Boron-copper system (irradiated), dimensional changes and stored energy, **2**: 50
Boron-graphite system, chemical deposition, **4**: 85
Boron-iron absorber sections (irradiated), swelling, **1**: 36
Boron-iron system (irradiated), effects, **3**: 34–5
Boron-lithium-oxygen system, glass formation, **2**: 19
Boron-niobium-titanium-vanadium system, stress-rupture and tensile properties, **2**: 53
Boron nitride, applications, **3**: 69
chemical deposition, **2**: 69
Boron oxide–stainless steel–uranium dioxide dispersions, poison-containing fuel-plate applications, **3**: 36
Boron-oxygen-uranium system, glass formation, **2**: 19
Boron silicide, properties, **2**: 40
Boron-silicon system, melting, **1**: 64
Boron–stainless steel alloys (irradiated), dimensional changes, **1**: 36
effects, **3**: 34–5
Boron–stainless steel dispersions, B loss, **1**: 36
Boron-tungsten coatings, preparation, **3**: 70
Brass, diffusion bonding, **1**: 66–7
Brass (70/30), extrusion, **1**: 64
Brass (alpha) (irradiated), diffusion, **4**: 9
Brazing, **2**: 69–70

C

Cadmium-copper alloys (irradiated), annealing, **1**: 45–6; **2**: 49
electrical resistivity, **2**: 49
Cadmium-europium-silver alloys, reactor-control properties, **2**: 40
Cadmium-plutonium alloys, density and stabilization, **2**: 6–7
Cadmium-uranium alloys, phase diagram, **2**: 3
Calcium fluorides, densification, **2**: 75
sintering, **3**: 59
Calcium fluorides (irradiated), effects bibliography, **1**: 48
Calcium hydride, creep, **2**: 36
density, **2**: 36
H content, **3**: 28
Calcium oxide, reaction, with Mn-Pu-U alloy, **3**: 5
with U_3O_8, **4**: 35
Calcium oxide–uranium dioxide–zirconium dioxide dispersions (irradiated), dimensional changes, **4**: 5
Calcium-oxygen-uranium-zirconium system, phase studies, **1**: 15–16
preparation, **1**: 15
thermal properties, **1**: 15–16
Calcium vanadate, reaction with U_3O_8, **4**: 35
Carbides, emittance, **4**: 75
review, **4**: 74–5
Carbides (cemented), emittance, **4**: 75
Carbides (refractory), joining to refractory metals, **4**: 75
Carbon
See also Graphite
chemical plating graphite with, **1**: 68
deposition kinetics, **2**: 15
diffusion into S.S.(304), **2**: 20–1
permeability, **4**: 43
physical properties, **4**: 43–4
tensile strength, **4**: 43
Carbon (irradiated), heavy-ion range, **4**: 64–5
Carbon (Mo carbide-coated), protective properties, **4**: 85
Carbon (pyrolytic)
See also Graphite (pyrolytic)
chemical deposition, **2**: 69; **3**: 69
Carbon-chromium-titanium-yttrium-zirconium system, corrosion, **4**: 60
Carbon-chromium-uranium system, behavior, **3**: 17
phase studies, **2**: 20
Carbon coatings, on Al_2O_3, **1**: 10–11
density, **1**: 12
Carbon (pyrolytic) coatings, density, **2**: 15
Carbon-cobalt-uranium system, phase studies, **2**: 20
Carbon-copper-uranium system, behavior, **3**: 17
phase studies, **2**: 20
Carbon dioxide, compatibility with reactor materials, **2**: 46
Carbon-hafnium system, phase studies, **2**: 40
Carbon-hafnium-uranium system, phase studies, **2**: 20
Carbon-iron-uranium system, behavior, **3**: 17
eutectic, **3**: 17
phase studies, **2**: 20
Carbon-metal-uranium systems, properties, **3**: 17
Carbon-metal (transition)-uranium systems, phase studies, **2**: 20
Carbon-molybdenum-niobium-titanium-zirconium system, strength, **3**: 56
Carbon-molybdenum-titanium-zirconium system, strength, **3**: 56
Carbon-molybdenum-tungsten-zirconium system, forgeability and recrystallization, **3**: 65
strength, **3**: 56
Carbon-molybdenum-uranium system, phase studies, **4**: 35
Carbon-nickel-uranium system, phase studies, **2**: 20
Carbon-niobium-titanium-vanadium system, stress-rupture and tensile properties, **2**: 53
Carbon-niobium-uranium system, melting-point curve, **1**: 17
phase studies, **2**: 20
Carbon-plutonium system, phase studies, **4**: 24–5

Carbon-plutonium-uranium system, phase studies, 2: 10
Carbon (pyrolytic)-silicon coatings, strength, 2: 15
Carbon-tantalum system, corrosion, 2: 47
Carbon-tantalum-tungsten system, tensile properties, 2: 53
Carbon-tantalum-uranium system, phase studies, 2: 20
Carbon-thorium-uranium system, oxidation, 2: 11
Carbon-uranium system, C diffusion into S.S.(304), 2: 20–1
electrical resistivity, 4: 36
extrusion, 4: 82
high-temperature properties, 2: 21
oxidation, 3: 16
phase studies, 2: 21
thermal expansion, 2: 21
U diffusion into metals and alloys, 2: 21
vapor pressure, 2: 21
Carbon-uranium system (irradiated), cracking and Kr^{85} release, 4: 36
Carbon-uranium-zirconium system, casting, 1: 19
electrical resistivity, 3: 16
lattice parameters, 1: 17
melting-point curve, 1: 17
phase studies, 2: 20
physical properties, 4: 36
reaction with metals, 4: 36
thermionic emission, 3: 16
Carpenter 20Nb, corrosion, 1: 41
Ceramic coatings, physical properties of flame-sprayed, 3: 70
Ceramic oxides, hot-pressing, 2: 74
Ceramics, bonding to metals, 2: 75
chemical plating with, 4: 83–4
chemical plating with Ti and Zr, 1: 68
coating applications, 2: 75
coating Y with, 1: 69–70
corrosion by molten Mn-Pu-U alloys, 4: 23
emittance, 4: 75
sealing to metals, 3: 70
vapor coating with Al_2O_3, 3: 69
Ceramics (irradiated), annealing, 4: 10
effects, 2: 50; 4: 1–10, 68
H_2 diffusion, 1: 58
Cerium, diffusion in graphite, 1: 21
Cerium-cobalt-plutonium alloys (molten), corrosion of Ta, 4: 22–3
reactions with crucibles, 3: 4–5
viscosity, 3: 5
Cerium dioxide, densification, 2: 75
Cerium hydride, H content, 3: 28
heat of dissociation, 4: 52
structure, 4: 52
Cerium-oxygen-uranium system, thermal shock, 1: 16
Cerium-thorium alloys, phase studies, 4: 25
Cermets, electroplating with, 1: 67–8
Cesium, diffusion in graphite, 1: 21
Cesium (molten), corrosion by, 4: 63
Chromalloy W-2, analysis, 2: 45
Chromium, annealing, 2: 52
chemical plating with, 1: 69
chemical plating with oxides and silicides, 2: 69
corrosion, 1: 41
diffusion in Ni alloys, 1: 59
electron-beam zone refining, 4: 79
electroplating with, 1: 67
self-diffusion, 1: 59
solubility in Li, 1: 42
tensile properties, 2: 52
vapor deposition, 3: 9
Chromium borides, deposition, 2: 69
Chromium cermets, deposition, 2: 68–9
Chromium crystals, preparation, 4: 79
Chromium-hydrogen-yttrium system (Al-Cr-Fe alloy clad), H loss in air, 3: 30
thermal-mechanical stability, 3: 30–1
Chromium-iridium-molybdenum combinations, interdiffusion, 2: 61
Chromium-iron alloys, stress-corrosion cracking, 2: 43
Chromium-iron-molybdenum alloys, oxidation, 3: 38
Chromium-iron-molybdenum-nickel alloys, mechanical properties, 3: 54–5
stress corrosion, 2: 43; 3: 41
Chromium-iron-nickel alloys, electroplating, with Cr, 1: 67
oxidation, 3: 38
stress-corrosion cracking, 2: 43
Chromium-iron-plutonium alloys, hardness and heat-treatment, 3: 5
Chromium-molybdenum-nickel alloys, oxidation, 3: 38
Chromium-molybdenum-niobium alloys, phase studies, 1: 56
Chromium-molybdenum-rhenium combinations, interdiffusion, 2: 61
Chromium-molybdenum-uranium alloys, grain size, 2: 3
phase studies, 4: 18
Chromium-nickel alloys, stress-corrosion cracking, 2: 43
Chromium-niobium alloys, creep properties, 1: 53, 55
Chromium-niobium-titanium alloys, oxidation, 3: 40
Chromium-rhenium couples, interdiffusion, 2: 61
Chromium-rhenium-yttrium alloys, oxidation, 2: 46
Chromium-ruthenium alloys, phase studies, 3: 57
Chromium silicides, deposition, 2: 69
Chromium-silicon-titanium mixtures, diffusion coating with, 3: 70
Chromium systems, diffusion, 1: 58
Chromium-TZC alloy, yield strength, 4: 72
Chromium-uranium alloys, grain size, 2: 3; 4: 17–18
heat-treatment, 2: 3; 3: 2
substructure, 3: 2
Chromium-uranium-zirconium alloys, grain size, 2: 3
Chromium whiskers, vapor deposition, 4: 84
Chromium-yttrium alloys, corrosion, 4: 60
preparation, 4: 79
tensile strength, 4: 72
Chromium-zirconium alloys, H absorption, 2: 42
Chromium-zirconium intermetallic compounds, corrosion, 2: 42; 4: 52–3
Cobalt, deoxidation, 1: 64
melting, 1: 64
Cobalt alloys, corrosion, 1: 40
diffusion bonding, 4: 46–7, 81
Cobalt-copper alloys (irradiated), displacement spike detection, 4: 65–6
Cobalt-hafnium intermetallic compounds, hydriding, 4: 52–3
Cobalt-nitrogen-zinc system, cubic nitrides, 3: 56
Cobalt-thorium intermetallic compounds, hydriding, 4: 52–3
Copper, diffusion bonding to Au, 1: 67
electroplating U oxide with, 1: 68
extrusion, 1: 64
plating, 3: 68
pressure bonding, 1: 66
stable equilibrium configuration, 2: 49
thermal diffusion, 2: 60
Copper (irradiated), annealing, 1: 45–6; 2: 49; 4: 64
characteristic temperature, 2: 48
damage, 2: 49
defect clusters, 4: 66–7
diffusion, 4: 9
dislocation loops, 2: 48, 50; 3: 45
electrical resistivity, 2: 48–9; 4: 64
etching, 3: 45
focusing collisions in atom chains, 2: 50
hardness, 2: 48
multiple thermal points, 2: 50
quenching, 2: 50
threshold energy, 2: 48
vacancy formation energy, 3: 47
Copper (sputtered), reactor-radiation-damage monitor, 1: 48
Copper-molybdenum-zirconium alloys, oxidation and O diffusion in, 4: 57
Copper-silver alloys, brazing with, 2: 75
Copper-silver alloys (irradiated), annealing, 1: 45–6; 2: 49
electrical resistivity, 2: 49
Copper tubing, ultrasonic drawing, 3: 65
Copper-tungsten-zirconium alloys, H absorption, 2: 42
Copper-uranium alloys, oxidation, 2: 3
Copper whiskers, vapor deposition, 4: 84
Copper-zinc alloys (irradiated), irradiated Zn diffusion in, 1: 46
Copper-zirconium alloys, H absorption, 2: 42
Copper-zirconium compounds, corrosion, 2: 42
Core vessel, ultrasonic testing, 4: 88
Croloy, corrosion, 4: 59, 63
Croloy-titanium alloys, corrosion, 4: 63
Crucibles, coating for graphite, 2: 65
Crud deposition, 2: 43
Crystals (irradiated), defect study, 1: 48
effects, 4: 67–8
Crystals (ionic) (irradiated), effects, 1: 48
vacancy-pair mobility, 3: 47
Crystals (nonmetallic) (irradiated), chemical physics, 3: 47

D

Diamond (irradiated), displacement threshold energy, 4: 66
Disilicide coatings, corrosion, 4: 61–2
Dispersions (irradiated), effects, 2: 12
Dysprosium, corrosion, 4: 55
fabrication, 1: 64

E

Eddy-current testing, development, 1: 73–4
thickness of materials, 2: 76
Electromagnetic testing, development, 1: 73
Electron microscope, ion damage to metal films inside, 2: 49
Enrico Fermi Atomic Power Plant, fuel development, 1: 4
Erbium, corrosion, 4: 55
fabrication, 1: 64
Europium, fabrication, 1: 64
reactor-control properties, 2: 40
Europium alloys, reactor-control properties, 2: 40
Europium monoxide, preparation, 4: 56
Europium oxide dispersions, development, 3: 35
Europium oxide–iridium dispersions, development, 4: 56
Europium oxide–molybdenum dispersions, hydriding, 4: 56
Europium oxide–niobium dispersions, hydriding, 4: 56
Europium oxide–palladium dispersions, development, 4: 56
Europium oxide–platinum dispersions, development, 4: 56
Europium oxide–rhenium dispersions, hydriding, 4: 56

Europium oxide–rhodium dispersions, development, 4: 56
Europium oxide–stainless steel dispersions, corrosion, 3: 36
poison applications, 3: 35
Europium oxide–stainless steel dispersions (irradiated), effects, 1: 36
Europium oxide–tantalum dispersions, hydriding, 4: 56
Europium oxide–tungsten dispersions, hydriding, 4: 56
Europium titanate–stainless steel dispersions, fabrication, 2: 40
Experimental Breeder Reactor II, fuel-element Na bonding, 2: 68; 4: 83

F

Fecral (irradiated), tensile properties, 4: 68–9
Fiberglas (U_3O_8-bearing), development for fuel elements, 2: 11–12
Fissium-uranium alloys, phase studies and thermal properties, 1: 2
Fluorophlogopite (irradiated), fission tracks, 1: 46
Formvar (irradiated), ionization, 4: 66
Forsterite (irradiated), mechanical properties, 4: 5
Fuel elements, metal spraying, 2: 70
nondestructive testing, 2: 75; 3: 75
welding, 2: 70
Fuel particles (C-coated), properties, 4: 29
Fuel particles (ceramic-coated), costs, 4: 28
Fuel powders, magnetic testing of Fe contamination, 3: 75
Fuel wafers, C-coating thickness gauge, 3: 75
Fuels, pelletizing, 2: 15
pressure bonding, 1: 65
Fuels (Al_2O_3-coated), preparation, 3: 9–10
Fuels (BeO-coated), preparation, 3: 9
Fuels (ceramic-coated), 2: 13
Fuels (clad), ultrasonic welding, 2: 67
Fuels (coated-particle), preparation, 3: 8–14
Fuels (metal-coated), 2: 13
Fuels (MgO-coated), preparation, 3: 9
Fuels [S.S.(304)-clad], Na bonding, 2: 68

G

Gadolinium, corrosion, 4: 55
fabrication, 1: 64
Gadolinium oxide–niobium dispersions, production, 2: 40
Gadolinium–stainless steel (304) alloys, phase studies, 1: 35
Gaseous dispersions, ultrasonic particle measurement, 4: 88
Germanium (irradiated), effects, 3: 46
Glass (borated), preparation and strength, 1: 36
Glass (borosilicate), poison applications, 1: 35–6
Glass (inorganic) (irradiated), effects bibliography, 1: 48
Glass (irradiated), corrosion by chlorides, 4: 60
Glass (poisoned), fabrication, 2: 40
Glass (Pu-bearing), strength, 2: 10
Glass (rare-earth oxide), devitrification, 1: 36
Glass (Si) (irradiated), damage, 1: 47
Glass–plutonium dioxide fibers, 1: 7
Gold, diffusion bonding to Cu, 1: 67
electroplating U oxide with, 1: 68
thermal diffusion, 2: 60
Gold (irradiated), effects, 1: 44; 2: 49; 3: 45; 4: 64–6
Gold films (irradiated), damage, 2: 49; 3: 45
structure, 4: 65
Gold-plutonium alloys, phase studies, 1: 6; 2: 8
Gold whiskers, vapor deposition, 4: 84
Graphite
See also Carbon
C transport, 4: 43
chemical plating of, 1: 68; 2: 69
chemical plating with, 1: 68–9
coating for, 3: 70
corrosion, 1: 41
diffusion studies, 1: 21
electroplating with Cr cermets, 2: 68–9
emittance, 4: 75
fission-product release, 1: 21
impregnation, 2: 37
with Si and Ti, 1: 25
oxidation, 3: 31
oxidation inhibition by Cl, 1: 25
reaction with steam, 4: 43
strength, 3: 31
Graphite (irradiated), annealing, 1: 47; 2: 50; 4: 8, 10
cavities, 1: 48
chemical reactivity, 4: 8–9
damage, 2: 36–7; 3: 46
dimensional changes, 1: 25–6; 2: 36–7; 3: 45–6; 4: 3–4
electrical resistivity, 1: 47
electron microscopy, 4: 43
He permeability, 2: 36
internal energy, 1: 48
lattice constants, 1: 48
lattice defects, 1: 47; 3: 45
mechanical properties, 4: 5–6
microstructure, 4: 43
oxidation inhibition by Cl, 1: 25
spin resonance, 1: 47
stored energy, 1: 47; 2: 37; 3: 45–6; 4: 68
thermal conductivity, 4: 8
Graphite (PuO_2-impregnated) (irradiated), effects, 3: 6
Graphite (pyrolytic)
See also Carbon (pyrolytic)
annealing, 1: 25
deposition, 3: 69; 4: 85
properties, 3: 69
rocket-nozzle component fabrication, 3: 69
strength, 4: 85
structure, 1: 25
Graphite (pyrolytic)–metal (refractory) "alloys," chemical plating and preparation, 3: 69
Graphite (pyrolytic)–zirconium carbide (pyrolytic) laminates, flexural strength, 4: 85
Graphite (Si-impregnated), permeability, 1: 25
Graphite (Si-SiC coated) (irradiated), oxidation, 1: 25
Graphite (Ti-impregnated), permeability, 1: 25
Graphite-molybdenum couples, reactions, 3: 59
Graphite-molybdenum system, chemical deposition, 4: 85
Graphite powder, explosive compaction, 2: 73
Graphite–stainless steel (304L) couples, interdiffusion, 3: 58
Graphite-tantalum couples, reactions, 3: 59
Graphite-tungsten system, chemical deposition, 4: 85
Graphite-uranium mixtures, cold-compacting and sintering, 3: 17

H

Hafnium, corrosion, 2: 40
hardness, 2: 65
heat of vaporization, 4: 55
melting, 1: 64; 2: 65; 3: 64; 4: 79
production, 1: 63
purification, 2: 65; 4: 79
scaling, 2: 40–1
Hafnium alloys, corrosion, 3: 34
Hafnium carbide, compatibility, with H_2, 1: 58
with Mo, 3: 40
with Nb, 3: 40
with W, 1: 58; 3: 40
pyrolytic deposition, 3: 69
UC behavior with, 1: 17
Hafnium diboride, compatibility with H_2 and W, 1: 58
vaporization, 4: 55
Hafnium-iridium alloys, phase studies, 4: 55
Hafnium-iron-tantalum alloys, corrosion, 3: 34
Hafnium-lutetium alloys, corrosion, 3: 34
Hafnium-manganese intermetallic compounds, hydriding, 4: 52–3
Hafnium monocarbide, preparation, 3: 64
reaction with Ce-Co-Pu alloy, 3: 4–5
Hafnium monocarbide–molybdenum couples, reactions, 3: 59
Hafnium-niobium-tungsten alloys, weld strength, 2: 70
Hafnium-niobium-vanadium alloys, tensile properties, 2: 53
Hafnium-niobium-zirconium alloys, weld strength, 2: 70
Hafnium nitride, compatibility with H_2 and W, 1: 58
Hafnium-oxygen-tungsten system, tensile properties, 2: 53
Hafnium-plutonium alloys, density and stabilization, 2: 6–7
Hafnium systems, diffusion, 1: 58
Hafnium-tantalum alloys, corrosion, 2: 47; 3: 34
Hafnium-tungsten alloys, corrosion, 3: 34
Hafnium-vanadium alloys, phase studies, 4: 55
Halides, chemical plating with, 1: 69
Halides (alkali) (irradiated), effects, 1: 48; 4: 68
Halides (metal), chemical plating with, 1: 69
Hastelloy (irradiated), stress-rupture properties, 4: 69
Hastelloy B (irradiated), corrosion, 4: 60
Hastelloy C, corrosion, 1: 40
Hastelloy C (irradiated), corrosion, 4: 60
Hastelloy X, corrosion, 1: 40; 3: 39; 4: 60, 62
mechanical properties, 3: 54–5
oxidation, 4: 60
stress-rupture properties, 3: 55
Hastelloy X (irradiated), ductility, 4: 69
Haynes 25, corrosion, 1: 41–2; 3: 41; 4: 62–3
Haynes Stellite powders, explosive compaction, 2: 73
Holmium, corrosion, 4: 55
Holmium-thorium alloys, phase studies, 4: 26
properties, 3: 7
Hydrogen-niobium-vanadium system, tensile properties, 2: 53
Hydrogen-zirconium system, phase studies, 2: 35–6

I

Inconel, brazing, 3: 71
carburization, 1: 40
compatibility, with fluoride salts, 3: 41
with LiH, 2: 36
corrosion, 1: 40–3; 4: 59
Cr self-diffusion in, 1: 59
ductility, 1: 53
elasticity, 1: 53

Inconel (Continued)
electroplating with Cr, I: 67
oxidation, 4: 60
stress-corrosion, 3: 39
tensile properties, I: 53
thermal cycling, I: 52–3
Inconel (irradiated), properties, I: 49; 2: 50–1; 3: 50; 4: 69
Inconel 702, oxidation, 4: 60
Inconel X, corrosion, 4: 60
mechanical properties, 3: 54–5
U diffusion into, 2: 21
Inconel X (irradiated), stress-rupture and tensile properties, 3: 49–50
Indium-thorium alloys, fabrication, I: 9
hardness, I: 8
INOR-8, carburization, I: 40
compatibility with fluoride salts, 3: 41
Cr self-diffusion in, I: 59
specific heat, 3: 57
strain-fatigue properties, 3: 55
Intermetallic compounds, hydriding, I: 32; 2: 36; 4: 52–3
Invar (irradiated), dimensional changes, I: 49
Iodine, diffusion, I: 21; 3: 18
Ion bombardment, symposium, 4: 68
Iridium, compatibility with UO_2, 4: 34
corrosion, 3: 39
dimensional changes, I: 40
oxidation, I: 40; 2: 46
Iridium-palladium alloys, structure and X-ray diffraction analysis, 4: 74
Iridium-tungsten base-barrier combination, properties, 3: 58
Iron, corrosion, I: 39–40, 42–3
self-diffusion in Fe-Ni alloys, I: 59
solubility in Li, I: 42
vapor deposition, 2: 69
Iron (irradiated), annealing, I: 46; 2: 48
characteristic temperature, 2: 48
coercive force, I: 46
damage, I: 46; 2: 49
electrical resistivity, 2: 48; 4: 68
hardness, 2: 48
magnetic properties, I: 46
mechanical properties, 2: 48
threshold energy, 2: 48
Iron alloys, cracking, I: 53
diffusion bonding, 4: 46–7, 81
Iron-molybdenum alloys, phase studies, I: 56
Iron-molybdenum-nickel-ruthenium-tungsten alloys, mechanical properties, 3: 56
oxidation, 2: 45
Iron-molybdenum-plutonium alloys, hardness and heat-treatment, 3: 5
Iron-nickel alloys, Fe self-diffusion in, I: 59
Iron-nickel alloys (irradiated), annealing, coercive force, and ordering, I: 46
Iron-nickel-tungsten alloys, creep-rupture strength, 2: 52
mechanical properties, 3: 56
Iron-niobium alloys, phase studies, I: 56
Iron-nitrogen-zinc system, cubic nitrides, 3: 57
Iron oxides (Fe_3O_4), deposition, 2: 43
Iron oxides (Fe_2O_3) (irradiated), dissolution, 4: 9
Iron-oxygen-plutonium system, phase studies, 2: 10
Iron-plutonium alloys, corrosion of Ta, 2: 46–7
hardness, 2: 6; 3: 5
heat-treatment, 2: 6; 3: 5
impact properties, 2: 5–6
microcracking, 2: 6
microstructure, 2: 6
rolling, 4: 23
tensile properties, 2: 6
Iron-silicon-uranium system, grain size, 2: 3
Iron whiskers, vapor deposition, 4: 84
Iron-zirconium alloys, H absorption, 2: 42
Iron-zirconium compounds, corrosion, 2: 42

K

Kennametal 94, corrosion by K, 4: 62
Kovar, corrosion, I: 41
Krypton-85, diffusion, 3: 18

L

Lanthanum, diffusion in graphite, I: 21
Lead, extrusion, I: 64
reaction with UC, 4: 36
Lead (irradiated), annealing, 2: 50
Lead-thorium alloys, phase studies, 4: 25
Lithium, solubility of metals in, I: 42
Lithium (molten), corrosion by, 4: 63
Lithium fluoride (irradiated), annealing, 2: 49
dislocations, 2: 49
surface effects, 4: 66
Lithium hydride, compatibility with Inconel, 2: 36
corrosion of S.S., I: 31–2
thermal conductivity, I: 32
viscosity, I: 31
Lithium hydride (irradiated), effects, 4: 52
Lithium-niobium-oxygen system, reactions, 3: 41, 43

M

M257
See Aluminum–aluminum oxide dispersions
Magnesium, corrosion by, 4: 62
Magnesium (irradiated), annealing, I: 49
Magnesium oxide, coating with fissionable oxide, I: 11
compatibility with Mo, Nb, and W, 3: 40
internal friction, 4: 75
slip casting, 2: 74
Young's modulus, 4: 75
Magnesium oxide (irradiated), dimensional changes, 4: 3
Magnesium oxide crucibles, reaction with Mn-Pu-U alloy, 3: 5
Magnesium oxide–molybdenum couples, reactions, 3: 59
Magnesium oxide–molybdenum-tungsten couples, reactions, 3: 59
Magnesium oxide–niobium couples, reactions, 3: 59
Magnesium oxide–silicon oxide crystals (irradiated), thermal conductivity, 4: 7
Magnesium-plutonium alloys, density and stabilization, 2: 6–7
Magnesium-thorium alloys (HK-31A-H24) (irradiated), mechanical properties, 4: 71
Magnesium-zinc melt, ultrasonic activation, 3: 60
Magnetic testing, methods, I: 74
Manganese, corrosion, I: 41
diffusion in Al, I: 58–9
Manganese-plutonium-uranium alloys (molten), reactions with containers, 3: 5; 4: 23
Materials, I: 77
mechanical properties, 4: 72
ultrasonic energy dry coupling, 4: 88
Materials (binary)(irradiated), lattice damage, 4: 66
Materials (cladding), bonding, I: 66
compatibility with UO_2, I: 15
Materials (cladding)(irradiated), damage, 2: 50
Materials (high-temperature), I: 77
Materials (irradiated), ion bombardment, 4: 68
recoil distributions, 4: 67
Materials (refractory), literature search, 2: 55
Materials (shielding), I: 77
Matter (irradiated), effects, 4: 67
Mercury, corrosion by, I: 41
Mercury-tantalum-tungsten alloys, tensile properties, I: 55
Metal (alkali)-oxygen-uranium systems, X-ray diffraction, I: 15
Metal (refractory) coatings, oxidation, 4: 61
Metal (refractory) compounds, chemical plating, I: 68
Metal films (irradiated), damage in electron microscope, 2: 49
Metal halides, chemical plating with, I: 69
Metals, bearing properties in Na and NaK, 4: 63
bonding to ceramics, 2: 75
chemical plating, I: 68–9; 4: 84
corrosion, 4: 63
diffusion bonding, I: 66
extrusion, 2: 66; 3: 65
fabrication, I: 64
H_2 diffusion, I: 58
reaction with water, I: 44
sealing to ceramics, 2: 70
self-diffusion, 2: 59
surface-degradation prevention, 4: 84
Metals (alkali) (canned), thermal bonding, 2: 68
Metals (alkali) (molten), corrosion by, 4: 63
Metals (ceramic-coated), H_2 diffusion, I: 58
Metals (fissile), atomic displacement and impurity effects, 3: 45
Metals (fissile) (irradiated), effects, 3: 17–18
Metals (irradiated), annealing, I: 48
color production, 4: 65
damage, 2: 49; 3: 46; 4: 38, 67–8
interstitial atom clusters, 3: 46
surface effects, 4: 64, 67–8
vacancies, 3: 46–7
Metals (molten), corrosion by, 4: 62–3
reactions with water, 2: 47
Metals (noble) (alumina-coated), oxidation, 2: 46
Metals (noble) (irradiated), complexes and vacancies, 3: 46
Metals (nonmagnetic), ultrasonic testing, I: 73
Metals (refractory), chemical plating of, I: 69
consolidation, 4: 80
corrosion, 4: 60–1
diffusion, I: 58
diffusion barriers, 2: 61; 3: 58–9
explosive forming, I: 70
fabrication, 4: 80
joining, 4: 75, 86
review, 2: 59
silicide diffusion coating of, 3: 69
vapor deposition, 4: 84
Metals (refractory) (coated), corrosion, 3: 40–1; 4: 61–2
ignition, 3: 40–1
Metals (structural) (irradiated), effects, 2: 50; 3: 54
Mica (irradiated), fission tracks, 3: 45
mechanical properties, 4: 5
Minerals (irradiated), mechanical properties, 4: 5
Molybdenite (irradiated), fission tracks, I: 47
Molybdenum, annealing, I: 52
boriding, 3: 69
chemical plating of, I: 69; 2: 69
chemical plating with, I: 68
coating of, I: 38; 2: 75; 3: 69–70
compatibility with carbides, 3: 40; 4: 36
with oxides, 3: 40
corrosion, I: 41; 2: 45; 4: 62–3
deoxidation, I: 64
electrical resistivity, 2: 31

Molybdenum (Continued)
electroplating, with cermets, 1: 67; 2: 68–9
explosive forming, 1: 70
extrusion, 2: 66
forging, 2: 66
Lorentz ratios, 2: 31
melting, 1: 63
notch sensitivity, 1: 55
powder-rolling, 2: 65
production, 3: 68–9
solubility in Li, 1: 42
tensile properties, 1: 55
thermal conductivity, 2: 31
thermoelectric power, 2: 31
welding, 4: 87
Molybdenum (Al-Sn coated), oxidation, 4: 61
Molybdenum (Chromalloy W-3 coated), corrosion, 4: 62
Molybdenum (Cr-Ni, Al_2O_3-coated), oxidation, 2: 45
Molybdenum (Cr-Ni coated), oxidation, 2: 45
Molybdenum (irradiated), annealing, 1: 52; 2: 50
electrical resistivity, 1: 52; 2: 48
hardness, 1: 52; 2: 48
lattice constants, 1: 45
vacancy diffusion, 1: 52
Molybdenum (silicide-coated), chemical plating, 4: 84
corrosion, 2: 45
Molybdenum alloys, extrusion, 3: 55–6; 4: 80
fabrication, 3: 65
heat-treatment, 3: 65
mechanical properties, 3: 55–6
melting, 3: 64
protective coatings for, 3: 69–70
Molybdenum alloys (coated), corrosion, 4: 61
Molybdenum alloys (PH 15-7), corrosion, 4: 62
Molybdenum alloys (TZM), extrusion and microstructure, 3: 65
Molybdenum carbide, compatibility with H_2 and W, 1: 58
Molybdenum disilicide, corrosion, 4: 62
oxidation, 2: 45; 4: 75
Molybdenum disilicide powder, explosive compaction, 2: 73
Molybdenum disilicide–zirconium diboride powder, explosive compaction, 2: 73
Molybdenum foils (irradiated), point-defect clusters, 4: 64
Molybdenum-niobium alloys, ignition, 3: 40
Molybdenum–niobium monocarbide couples, reactions, 3: 59
Molybdenum-niobium-tantalum alloys, creep properties and tensile strength, 2: 53
Molybdenum-niobium-tantalum-tungsten alloys, creep properties, 2: 53
Molybdenum-niobium-titanium-tungsten-zirconium alloys, phase studies and precipitation hardening, 1: 56–7
Molybdenum-niobium-titanium-vanadium alloys, stress-rupture and tensile properties, 2: 53
Molybdenum-niobium-tungsten alloys, creep properties, 2: 53
tensile properties, 1: 55
Molybdenum-niobium-tungsten-zirconium alloys, phase studies, 1: 56–7
precipitation hardening, 1: 56–7
weld strength, 2: 70
Molybdenum-niobium-tungsten-zirconium alloys (F-48), extrusion, 3: 65
ignition, 3: 40
Molybdenum-niobium-uranium alloys, phase transformation, 4: 20
Molybdenum-niobium-uranium-zirconium alloys, phase studies, 4: 18, 20
Molybdenum–plutonium dioxide cermets, fabrication, 3: 6
Molybdenum-rhenium base-barrier combination, properties, 3: 58
Molybdenum-rhenium couples, interdiffusion, 2: 61
Molybdenum-ruthenium-uranium alloys, phase studies, 1: 2
Molybdenum silicides, oxidation, 4: 61
Molybdenum-silicon-uranium system, creep and tensile properties, 1: 3
Molybdenum systems, diffusion, 1: 58
Molybdenum-tantalum alloys, creep properties, 2: 53
tensile properties, 1: 55; 2: 53
Molybdenum–tantalum monocarbide couples, reactions, 3: 59
Molybdenum-tantalum-tungsten alloys, creep properties and tensile strength, 2: 53
Molybdenum-tin-uranium alloys, tensile properties, 1: 3
Molybdenum-titanium alloy–rhenium couples, interdiffusion, 2: 61
Molybdenum-titanium alloys, corrosion, 4: 62
dispersion strengthening, 1: 55
explosive forming, 1: 70; 2: 70–1; 4: 87
explosive welding, 3: 71, 73
notch sensitivity, 1: 55
tensile properties, 1: 55
Molybdenum-tungsten alloys, creep properties, 2: 53
explosive forming, 4: 87
melting, 3: 64
tensile properties, 2: 53; 3: 56
Molybdenum-tungsten base-barrier combination, properties, 3: 58
Molybdenum–uranium alloy–uranium carbide dispersions, cladding of, 1: 9
Molybdenum–uranium alloy–uranium dioxide dispersions, cladding of, 1: 9
Molybdenum-uranium alloys, casting, 1: 4; 2: 65; 3: 2
chemical plating with Nb, 1: 68
corrosion, 3: 2
creep properties, 1: 3–4
development, 1: 4
oxidation, 2: 3; 3: 2
phase studies, 2: 4; 4: 18
phase transformation, 1: 4–5; 2: 4; 3: 2; 4: 20
rolling, 3: 2
tensile properties, 1: 3
thermal cycling, 3: 2
U self-diffusion, 3: 2
Molybdenum-uranium alloys (irradiated), dimensional changes, 1: 4; 2: 4
Molybdenum-uranium alloys (Nb-clad), roll bonding, 1: 65
Molybdenum-uranium alloys (Nb-coated), development, 4: 84
Molybdenum–uranium dicarbide diffusion couples, reactions, 3: 16
Molybdenum–uranium dioxide dispersions, densification, 1: 9
Molybdenum-uranium-zirconium alloys, phase studies, 4: 18, 20
Molybdenum-vanadium base-barrier combination, properties, 3: 58
Molybdenum-zirconium alloys, oxidation, 3: 41
Molybdenum-zirconium compounds, corrosion, 2: 42
Molybdenum-zirconium couples, reactions, 3: 59
Molybdenum-zirconium dioxide (CaO) couples, reactions, 3: 59
Molybdenum–zirconium monocarbide couples, reactions, 3: 59
Monel, stress-corrosion, 3: 39
Muscovite (irradiated), fission tracks, 1: 46

N

NaK
See Potassium-sodium alloys
Neodymium-thorium alloys, phase studies, 4: 26
properties, 3: 7
Neptunium-239, electroplating with, 1: 68
Neutron absorbers, review, 4: 56
Nichrome V, oxidation, 4: 60
Nickel, annealing, 1: 52
boriding, 3: 69
chemical plating of, 1: 69; 2: 69
chemical plating with, 1: 68
corrosion, 1: 41; 4: 63
deposition, 2: 69
diffusion bonding to Al and U, 1: 67
electroplating with, 1: 67–8; 3: 68
melting, 1: 63
oxidation, 2: 44
solubility in Li, 1: 42
stress corrosion, 3: 39
Nickel (irradiated), annealing, 1: 52; 2: 50
damage, 2: 49
electrical resistivity, 1: 52; 2: 48
hardness, 1: 52
threshold energy, 2: 48
vacancy diffusion, 1: 52
Nickel alloys, corrosion, 1: 40
Cr diffusion in, 1: 59
diffusion bonding, 4: 46–7, 81
Nickel crystals (irradiated), Kossel line studies, 4: 64
Nickel-nitrogen-zinc system, cubic nitrides, 3: 56–7
Nickel oxide (irradiated), reduction, 4: 9
Nickel-plutonium alloys (Zircaloy-4-clad) (irradiated), fission-product release, 3: 4
Nickel-plutonium couples, interdiffusion, 3: 58–9
Nickel-tungsten alloys, diffusion, 1: 59
Nickel whiskers, vapor deposition, 4: 84
Nickel-zirconium alloys, H absorption, 2: 42
Nickel-zirconium intermetallic compounds, hydriding, 2: 42; 4: 52–3
Niobium, Al diffusion in, 4: 47
Be diffusion in, 4: 47
boriding, 3: 69
brazing alloys, 1: 72; 4: 87
chemical plating of, 2: 69
chemical plating with, 1: 68
cold-work effects, 4: 72
compatibility, with carbides, 3: 40; 4: 35–6
with oxides, 3: 40
containment of molten Al-Th-U alloys, 4: 21
corrosion, 1: 41; 2: 44–5; 3: 57; 4: 62–3
diffusion bonding, 3: 66
diffusion coating of, 3: 70
diffusion in, 2: 59
diffusion of, 1: 58; 2: 61
extrusion, 2: 66; 4: 80
fabrication, 3: 57
forging, 2: 66
ignition, 3: 40
internal friction, 4: 72
manual, 1: 56
mechanical properties, 3: 55, 57
metallurgy, 3: 57
notch sensitivity, 1: 55
oxidation, 1: 38; 2: 44; 3: 39, 57; 4: 60
reaction with US, 2: 22
self-diffusion, 2: 59
surface tension, 1: 56
tensile properties, 1: 55
U diffusion into, 2: 21
vapor deposition, 3: 9
weld bend ductility, 1: 72
welding, 2: 70

Niobium (Al-Ni-Zn alloy-coated), oxidation, 2: 44
Niobium (silicide-coated), corrosion, 2: 45
Niobium (zinc-coated), oxidation, 2: 44
Niobium alloy–rhenium couples, interdiffusion, 2: 61
Niobium alloys, coating of, 1: 38; 3: 70
  extrusion, 2: 66; 4: 80
  fabrication, 3: 65
  forging, 2: 66
  heat-treatment, 3: 65
  hot hardness, 3: 55
  melting, 3: 64
  oxidation, 3: 55
Niobium alloys (Cb-74), explosive forming, 1: 70
Niobium alloys (coated), corrosion, 4: 61
Niobium alloys (CT-2WZ), explosive forming, 1: 70; 2: 70–1
Niobium alloys (F-48), melting, 3: 64
Niobium alloys (Nb-74), explosive forming, 2: 70–1
Niobium aluminides, oxidation, 2: 45; 3: 41; 4: 61
Niobium beryllides, 1: 30; 4: 51–2
Niobium carbide, chemical plating with, 1: 69
  coating; graphite with, 3: 70
  compatibility, with H_2, 1: 58
    with Mo, 3: 40
    with Nb, 3: 40
    with W, 1: 58; 3: 40
  pyrolytic deposition, 3: 69
  UC behavior with, 1: 17
Niobium diboride, compatibility with H_2 and W, 1: 58
Niobium diboride dispersions [S.S.(347)-clad] (irradiated), effects, 1: 10
Niobium monocarbide, lattice parameters, 3: 59
Niobium nitride, compatibility with H_2 and W, 1: 58
Niobium-nitrogen-titanium-tungsten alloys, stress-rupture properties, 2: 53
Niobium-nitrogen-titanium-vanadium alloys, tensile properties, 2: 53
Niobium-osmium base-barrier combination, properties, 3: 58
Niobium oxide (Nb_2O_5), O diffusion, 2: 44
Niobium-oxygen-potassium system, reactions, 3: 41
Niobium-oxygen-potassium-zirconium system, reactions, 3: 41
Niobium-oxygen-titanium system, tensile properties, 1: 55
Niobium-oxygen-titanium-vanadium alloys, stress-rupture and tensile properties, 2: 53
Niobium-oxygen-uranium system, composition limits, 1: 6
  X-ray diffraction, 1: 15
Niobium-oxygen-zirconium system, tensile properties, 1: 55
Niobium-plutonium-silicon system, phase studies, 1: 6; 2: 8
Niobium-plutonium-uranium alloys, hardness, 1: 7; 4: 23
  structure, 4: 23
Niobium-plutonium-uranium-zirconium alloys, hardness, 1: 7
Niobium-plutonium-zirconium alloys, Pu-Zr coalescence, 1: 6–7
Niobium-rhenium base-barrier combination, properties, 3: 58
Niobium-rhenium couples, interdiffusion, 2: 61
Niobium-silicon system, diffusion, 3: 58
Niobium-sodium–stainless steel (316) alloys, mass transfer, 1: 42
Niobium systems, diffusion, 1: 58
Niobium-tantalum alloys, tensile strength, 2: 53
Niobium-tantalum-tungsten alloys, creep properties, 2: 53
  hot hardness, 3: 55
  oxidation, 3: 55
  tensile properties, 1: 55; 2: 53
Niobium-tantalum-vanadium alloys, protective coatings for, 1: 38–9
Niobium-tin alloys, compounds, 2: 55, 58
Niobium-tin-zirconium alloys, H uptake, 1: 39
  tensile properties, 2: 53
Niobium-titanium alloys, oxidation, 3: 40
Niobium-titanium-tungsten-vanadium alloys, stress-rupture and tensile properties, 2: 53
Niobium-titanium-vanadium alloys, chemical plating with silicide, 1: 69
  stress-rupture properties, 2: 53
  tensile properties, 2: 53; 4: 72
Niobium-titanium-vanadium alloys (coated), oxidation, 2: 45; 4: 61
Niobium tubing, spinning, 4: 80
  ultrasonic drawing, 3: 65
Niobium-tungsten alloys, creep and tensile properties, 2: 53
Niobium-tungsten base-barrier combination, properties, 3: 58
Niobium-uranium alloys, corrosion, 1: 6
  development, 1: 6
  fabrication, 1: 6
  oxidation, 2: 3
  phase studies, 4: 18, 20
  preparation, 1: 6
  properties, 1: 4, 6; 3: 2
  U self-diffusion, 3: 2
Niobium–uranium dicarbide diffusion couples, reactions, 3: 16
Niobium–uranium dioxide couples, Nb diffusion, 3: 58
Niobium–uranium monocarbide diffusion couples, reactions, 3: 16
Niobium-uranium-zirconium alloys, creep properties, 1: 4
  phase studies, 4: 18
Niobium-vanadium alloys, creep properties, 1: 53, 55
  fabricability, 4: 72
  oxidation, 3: 40
  strength, 4: 72
Niobium-vanadium alloys (coated), oxidation, 2: 44–5
Niobium-vanadium-zirconium alloys, hardening, 1: 57–8
  tensile properties, 2: 53
Niobium-zinc compounds ($NbZn_2$), crystal structure, 3: 57
Niobium-zirconium alloy tubing, spinning, 4: 80
Niobium-zirconium alloys, aging, 2: 53
  compatibility with UC, 1: 17
  corrosion, 1: 42; 3: 37, 41; 4: 62–3
  creep properties, 1: 53, 55; 2: 53
  heat-treatment effects, 3: 37
  mechanical properties, 2: 53
  oxidation, 3: 40
  physical properties, 2: 58
  tensile properties, 1: 55; 2: 53; 3: 55
  weld strength, 2: 70
Niobium-zirconium alloys (Al-Cr-Si coated), corrosion, 2: 45
Niobium-zirconium alloys (irradiated), creep properties, 2: 50
  stress-rupture properties, 2: 50–1
Niobium-zirconium base-barrier combination, properties, 3: 58
Niobium–zirconium dioxide (CaO) couples, reactions, 3: 59
Nitrides, emittance, 4: 75
  in ternary systems, 3: 56–7
Nonmetals, chemical plating, 1: 68
Nuclear particle detector development, 4: 64
Nuclei (heavy)(irradiated), excitation by fast nucleons, 1: 48

O

Organic-Moderated Reactor Experiment, fuel-element cladding, 1: 65
Organics (irradiated), property changes, 4: 68
Osmium-tantalum base-barrier combination, properties, 3: 58
Oxides, chemical deposition, 2: 69
  emittance, 4: 75
Oxygen-phosphorus-sodium-uranium system, glass formation, 2: 19
Oxygen-plutonium system, phase studies, 3: 5–6
Oxygen-plutonium-uranium system, phase studies, 4: 24
Oxygen-plutonium-zirconium system, phase studies, 3: 6
Oxygen-strontium-uranium system, phase studies, 1: 15
Oxygen-thorium-uranium system, tensile properties, 2: 53
Oxygen-tungsten-uranium system, chemical interactions, 3: 14
Oxygen-uranium system, properties, 2: 19
Oxygen-uranium-zirconium system, phase studies, 4: 35
Oxygen-uranium-zirconium system (irradiated), phase transition, 2: 49
Oxygen-zirconium solid solutions, X-ray studies, 3: 58
Oxygen-zirconium system, electrical resistivity, 2: 58–9
  phase studies, 2: 59

P

Palladium, compatibility with UO_2, 4: 34
  corrosion, 3: 39
  dimensional changes, 1: 40
  oxidation, 1: 40; 2: 46
Palladium films (irradiated), fission tracks, 4: 64
Palladium–uranium dioxide compacts, sintering, 4: 34–5
Palladium-zirconium compounds, corrosion, 2: 42
Plastics (irradiated), property changes, 4: 68
Platinum, compatibility with UO_2, 4: 34
  corrosion, 1: 41; 3: 39
  dimensional changes, 1: 40
  oxidation, 1: 40; 2: 46
Platinum (irradiated), fission tracks, 1: 45; 2: 50; 4: 63–4
Platinum phthalocyanine (irradiated), fission tracks, 1: 46–7
Platinum-rhodium alloys, corrosion, 3: 39
  dimensional changes, 1: 40
  oxidation, 1: 40; 2: 46
Platinum systems, diffusion, 1: 58
Platinum-zirconium compounds, corrosion, 2: 42
Plutonium, Al solubility in, 4: 23
  book, 2: 5
  compression properties, 2: 7, 9
  cooling-rate effects, 1: 6
  creep properties, 1: 6
  Hall effect, 3: 4
  hardness, 1: 6; 2: 6
  heat-treatment effects, 2: 6
  impact properties, 2: 5
  mechanical properties, 3: 4
  melting, 3: 64–5
  microstructure, 1: 6; 2: 6
  oxidation, 2: 6
  phase transformation, 1: 6; 3: 3–4
  tensile properties, 2: 7, 9
Plutonium (molten), oxidation, 2: 6
Plutonium (Zircaloy-2-clad), rolling, 2: 66
Plutonium alloys (jacketed), pulsed-field reflection bond testing, 3: 75

Plutonium aluminides, polymorphic transformation, 4: 23
Plutonium beryllide, 2: 8
Plutonium carbide, casting, 1: 7; 4: 25
hydriding, 4: 25
phase studies, 1: 7
thermal expansion, 4: 25
Plutonium carbide–uranium carbide solid solutions, sintering, 1: 7; 4: 25
Plutonium compounds, literature survey, 2: 8
physical properties, 2: 8
preparation, 4: 25
Plutonium dioxide, etching, 1: 7
lattice expansion, 4: 24
moisture pickup, 3: 6
production, 1: 7
reactions, 4: 24
reduction, 1: 8; 4: 24
sintering, 1: 7; 2: 11; 4: 24
stability, 3: 5
thermal expansion, 1: 7
vapor pressure, 2: 10; 3: 6
Plutonium dioxide (Cu- and Ni-coated), preparation, 3: 9
Plutonium dioxide (Zircaloy-clad), rolling, 2: 66
Plutonium dioxide particles (Ni-coated), preparation, 2: 12–13
Plutonium dioxide–thorium dioxide solid solutions, sintering, 3: 6
Plutonium dioxide–uranium dioxide dispersions, hot rolling, 3: 6
Plutonium dioxide–uranium dioxide mixtures, fabrication, 4: 24
vibratory compaction, 3: 67
Plutonium dioxide–uranium dioxide particles (Ni-coated), preparation, 2: 12–13
Plutonium dioxide–uranium dioxide paste, viscous flow, 4: 23–4
Plutonium dioxide–uranium dioxide pellets, sintered density, 1: 7
Plutonium dioxide–uranium dioxide solid solutions, liquidus, 4: 24
Plutonium dioxide–uranium dioxide solid solutions (irradiated), effects, 4: 24
Plutonium dioxide–uranium dioxide system, preparation, 2: 10
Plutonium monocarbide, phase studies, 3: 6
production, 2: 10
sintering, 2: 10
Plutonium nitrides, arc melting, 4: 25
preparation, 3: 6
Plutonium-ruthenium alloys, phase diagram, 2: 8, 11
Plutonium silicide, density, 4: 25
melting point, 4: 25
preparation, 1: 7–8; 2: 10–11; 3: 6; 4: 25
Plutonium-silicon alloys, density and stabilization, 2: 6–7
Plutonium-silicon-titanium alloys, density and stabilization, 2: 6–7
Plutonium-tellurium alloys, density and stabilization, 2: 6–7
Plutonium-thorium alloys, recrystallization, 2: 8
Plutonium-tin alloys, density and stabilization, 2: 6–7
Plutonium-titanium alloys, phase transformation temperatures, 2: 7, 10
Plutonium-titanium-uranium alloys, density and stabilization, 2: 6–7
Plutonium-zirconium alloys, aging effects, 2: 6–7
heat-treatment effects, 2: 6–9
mechanical properties, 1: 6; 3: 4
phase transformation, 3: 4
physical properties, 1: 6
tensile properties, 2: 6–8
thermal expansion and contraction, 3: 4
Plutonium-zirconium alloys (Zircaloy-2-clad), roll bonding, 4: 80
Polonium, electroplating with, 1: 68
Potassium (molten), corrosion by, 1: 41–2; 4: 62–3
Potassium-sodium alloys, compatibility with UC_2, U_2C_3, and US, 2: 22
Praseodymium-thorium alloys, phase studies, 4: 26
properties, 3: 7
Pressure-vessel reinforcing bands, air-gap magnetic testing, 3: 75
Pyroceram, corrosion, 1: 41
emittance, 4: 75
Pyrolytic carbon coatings
See Carbon (pyrolytic) coatings

R

Radiation, effects, 2: 50
sputtered Cu as reactor-damage monitor, 1: 48
Radiographic testing, development, 1: 74
Reactors, sputtered Cu as radiation-damage monitor, 1: 48
René 41, corrosion, 1: 41
creep exposure effects, 4: 71–2
mechanical properties, 4: 71–2
René 41 (irradiated), stress-rupture properties, 4: 69
Rhenium, boriding, 3: 69
fabrication, 2: 65
Rhenium-tantalum base-barrier combination, properties, 3: 58
Rhenium-thorium alloys, phase studies, 4: 26
Rhenium–thorium dioxide couples, reactions, 3: 59
Rhenium-tungsten base-barrier combination, properties, 3: 58
Rhenium-uranium alloys, phase studies, 4: 18
Rhenium–uranium dioxide couples, reactions, 3: 59
Rhodium, compatibility with UO_2, 4: 34
corrosion, 3: 39
dimensional changes, 1: 40
oxidation, 1: 40; 2: 46
Rhodium-tungsten base-barrier combination, properties, 3: 58
Rubidium (molten), corrosion by, 1: 42
Ruthenium-tantalum base-barrier combination, properties, 3: 58
Ruthenium-tungsten alloys, oxidation, 2: 45
Ruthenium-tungsten base-barrier combination, properties, 3: 58
Ruthenium-zirconium compounds, corrosion, 2: 42

S

Samarium, fabrication, 1: 64
Sauereisens, corrosion by K, 4: 62
Scandium-yttrium alloys, phase studies, 4: 73–4
Selenium, melting, 1: 63
Semiconductors (irradiated), damage, 4: 67
Silicides, chemical plating with, 1: 69; 2: 69
corrosion, 4: 61–2
diffusion coating with, 3: 70
emittance, 4: 75
protective coatings of, 1: 38–9
Silicon, chemical plating steel with, 1: 69
coatings containing, 3: 70
melting, 1: 63
vapor deposition, 3: 9
Silicon (irradiated), length changes, 3: 46
range-energy relation, 2: 49
Silicon carbide, compatibility with H_2 and W, 1: 58
Silicon carbide (irradiated), dimensional changes, 4: 3–4
oxidation, 4: 9
Silicon dioxide (irradiated), catalytic activity, 4: 9
dimensional changes, 4: 3–5
phase transformation, 4: 7
thermal conductivity, 4: 7
Silicon dioxide gel (irradiated), catalytic activity, 4: 9
Silicon-tantalum system, corrosion, 2: 47
Silicon-thorium system, phase studies, 1: 8
Silicon-uranium system, grain size, 2: 3
oxidation, 2: 3
specific heat, 1: 17–18
Silicon-uranium-zirconium system, phase studies, 3: 2
Silicon-yttrium-zirconium coatings, preparation, 3: 70
Silicon-zirconium compounds, corrosion, 2: 42
Silver, electroplating U oxide with, 1: 68
Silver (irradiated), damage, 2: 49
electrical resistivity, 2: 48
threshold energy, 2: 48
vacancy-formation energy, 1: 45
Silver alloys (Consil 995), corrosion, 1: 40
Silver chloride crystals (irradiated), fission-recoil tracks, 4: 66
Silver cyanamide (irradiated), fission tracks, 1: 47
Silver halide crystals (irradiated), cosmic-ray tracks, 4: 66
Silver-zirconium alloys, H absorption, 2: 42
Silver-zirconium compounds, corrosion, 2: 42
Slugs, canning, 3: 66
Sodium, reaction with steam, 1: 44
Sodium (irradiated), annealing, 2: 50
electrical resistivity, 4: 64
Sodium (molten), corrosion by, 2: 46; 4: 63
Sodium chloride (irradiated), Cl activation energy, 2: 50
Sodium polyphosphate (molten), corrosion by, 1: 42–3
Solids, rare-gas diffusion in, 4: 74
Solids (inorganic) (irradiated), effects, 1: 47–8; 3: 47
Solids (irradiated), effects, 4: 67–8
range-energy relations, 2: 50
rare-gas behavior in, 4: 38
reactivity, 3: 47; 4: 9
Spinel (irradiated), mechanical properties, 4: 5
Stainless steel, brazing, 3: 71; 4: 46
brazing-alloy corrosion, 4: 59–60
canning applications, 3: 22
corrosion, 4: 58–9
diffusion bonding to Zircaloy-2, 2: 68
plasma-jet spraying with UO_2, 3: 70
reaction with US, 2: 22
stress-corrosion cracking, 2: 43; 4: 59
welding to Zr, 2: 70
Stainless steel (17-4 PH), stress-corrosion cracking, 3: 38
Stainless steel (17-7 PH), stress-corrosion cracking, 3: 38
Stainless steel (300), corrosion, 1: 41
Stainless steel (304), C diffusion into, 2: 20–1
compatibility with U_3Si_2, 1: 18
corrosion, 2: 46; 3: 38; 4: 59, 63
explosive extrusion, 1: 71
oxidation, 3: 40
U diffusion into, 2: 21
Stainless steel (304) (irradiated), creep properties, 2: 50
ductility, 1: 49
rupture, 1: 49
stress-rupture properties, 2: 50–1; 4: 69
Stainless steel (304) (molten), reaction with water, 3: 43–5
Stainless steel (310), corrosion, 1: 41
explosive welding, 3: 71, 73

Stainless steel (316), corrosion, 1: 41–2; 3: 38; 4: 63
physical properties, 2: 58
stress-corrosion cracking, 2: 43–4
Stainless steel (316) (Inconel-clad), stress-corrosion cracking, 2: 44
Stainless steel (316) (irradiated), tensile properties, 4: 68–9
Stainless steel (316) (Ni-plated), stress-corrosion cracking, 2: 43–4
Stainless steel (317), corrosion, 3: 38
Stainless steel (321), corrosion, 4: 62–3
Stainless steel (347), stress-corrosion cracking, 4: 59
Stainless steel (347) (irradiated), tensile properties, 4: 68–9
Stainless steel (410), corrosion, 1: 41; 4: 62
explosive bonding to Zircaloy-2, 1: 71; 3: 74; 4: 87–8
roll bonding to Zircaloy-2, 4: 80
Stainless steel (410) (irradiated), effects, 1: 49
tensile properties, 4: 69
Stainless steel (446), corrosion, 4: 60
Stainless steel (A286), corrosion, 1: 41
stress-corrosion cracking, 3: 38
Stainless steel (A286) (irradiated), creep properties, 4: 69
stress-rupture properties, 3: 49–50
tensile properties, 3: 49–50; 4: 69
Stainless steel (AF 1753), corrosion, 1: 41
Stainless steel (AISI 4340), explosive extrusion, 1: 71
Stainless steel (AM-350), stress-corrosion cracking, 3: 38
Stainless steel (austenitic), corrosion, 1: 31–2, 40
Stainless steel (ferritic), corrosion, 1: 40
Stainless steel (Greek Ascoloy), stress-corrosion cracking, 4: 59
Stainless steel (irradiated), effects, 1: 45; 3: 54
mechanical properties, 3: 47
Stainless steel (Ag-plated), corrosion, 1: 40
Stainless steel (semiaustenitic), mechanical properties and cladding strength, 4: 71
Stainless steel (UO_2-coated), preparation, 3: 15
Stainless steel–uranium dioxide dispersions, development, 2: 11–12
thermal expansion, 1: 9
Stainless steel–uranium dioxide dispersions (irradiated), effects, 2: 12
Stainless steel (318)–uranium dioxide dispersions (irradiated), stability, 1: 9–10
Stainless steel–uranium dioxide dispersions (S.S.-clad), roll bonding, 1: 65
Stainless steel–uranium dioxide powder, explosive compaction, 2: 73
Stainless steel–uranium dioxide–zirconium diboride dispersions, B loss and preparation, 1: 36
Steel, brittle fracture, 4: 72
chemical plating with Si, 1: 69
corrosion, 2: 43; 4: 59
explosive extrusion, 1: 70
explosive forming, 2: 71
Steel (17-4 PH), corrosion, 1: 41
Steel (A-212 B) (irradiated), annealing, 4: 68
ductility transition temperature, 4: 68
mechanical properties, 3: 47–8
Steel (A-302) (irradiated), annealing, 4: 68
Steel (AISI 406), explosive forming, 2: 72
Steel (AISI 1020), explosive extrusion, 1: 71
Steel (AISI 4340), explosive welding, 3: 71–3
Steel (carbon), corrosion, 1: 40–1; 2: 43, 46; 3: 38–9, 41; 4: 62
Steel (carbon) (Inconel-clad), corrosion, 3: 41
Steel (carbon) (irradiated), effects, 3: 54
Steel (Conlo I) (irradiated), ductile-brittle transition temperature, 3: 49
Steel (Cr), corrosion, 2: 47
Steel (Cr) (irradiated), phase transformation, 1: 46
Steel (Cr-Mo) corrosion, 2: 46; 3: 41
oxidation, 3: 39
U diffusion into, 2: 21
Steel (2¼ Croloy), corrosion, 1: 41
Steel (irradiated), mechanical properties, 1: 48; 4: 68
Steel (low-alloy), corrosion, 1: 40; 3: 39
oxidation, 1: 40
Steel (low-alloy) (irradiated), effects, 3: 54
Steel (low-carbon), aqueous corrosion, 4: 59
Steel (mild), explosive joining to Al, 1: 71
welding to Zr, 2: 70
Steel (Neatro Tool), corrosion, 1: 41
Steel (PH 15-7 Mo), corrosion, 1: 41
Steel (SA-212B) (irradiated), coercive force, hardness, and magnetic properties, 1: 48–9
Steel (Sicromo), corrosion, 1: 41; 4: 62
Strontium, diffusion of, 1: 21, 58
Strontium oxide, diffusion in graphite, 1: 21
Sulfur-thorium-uranium system, hardness, 2: 22
Sylvania No. 4, corrosion, 1: 41

T

Tantalum, boriding, 3: 69
chemical plating of, 2: 69
containment of molten Al-Th-U alloys, 4: 21
corrosion, 1: 41; 2: 45–7; 3: 41; 4: 22–3, 63
diffusion bonding, 3: 66
electroplating with Cr cermets, 2: 68–9
extrusion, 2: 66; 4: 80
fabrication, 3: 65
forging, 2: 66
notch sensitivity, 1: 55
oxidation, 3: 39–40; 4: 60
protective coatings for, 1: 38–9
reaction with carbides, 4: 35–6
tensile properties, 1: 55; 2: 53
vapor deposition, 3: 9
weld bend ductility, 1: 72
welding, 2: 70
Tantalum (coated), corrosion, 2: 45; 4: 62
Tantalum (irradiated), corrosion, 4: 60
Tantalum alloys, extrusion, 1: 64
hot hardness, 3: 55
fabrication, 3: 65
heat-treatment, 3: 65
oxidation, 3: 55
protective coatings for, 1: 38–9
Tantalum alloys (coated), corrosion, 4: 61
Tantalum beryllides, heating effects, 1: 30
oxidation, 3: 28
properties, 2: 35
vapor pressure, 3: 28
Tantalum carbide, chemical plating with, 1: 69
compatibility, with H_2, 1: 58
with Mo, 3: 40
with Nb, 3: 40
with W, 1: 58; 3: 40
corrosion, 1: 41
melting, 1: 64
pyrolytic deposition, 3: 69
UC behavior with, 1: 17
Tantalum crucibles, reaction with Ce-Co-Pu alloy, 3: 4
Tantalum diboride, compatibility with H_2 and W, 1: 58
Tantalum monocarbide crucibles, reaction with Ce-Co-Pu alloy, 3: 4–5
Tantalum nitride, compatibility with H_2 and W, 1: 58
Tantalum systems, diffusion, 1: 58
Tantalum-thorium alloys, corrosion, 2: 47
phase studies, 1: 8
Tantalum–thorium dioxide powder, explosive compaction, 2: 73
Tantalum-tungsten alloys, annealing, 1: 57
chemical plating with silicide, 1: 69
corrosion, 2: 47
creep properties, 2: 53
melting, 1: 64
recrystallization, 1: 57
tensile properties, 1: 55; 2: 53
welding, 1: 72
Tantalum-tungsten alloys (Al-Sn coated), oxidation, 2: 45
Tantalum-tungsten alloys (Cr-Si-Ti coated), corrosion, 4: 62
Tantalum-tungsten base-barrier combination, properties, 3: 58
Tantalum–uranium dicarbide diffusion couples, reactions, 3: 16
Tantalum–uranium dioxide couples, reactions, 3: 59
Tantalum–uranium monocarbide diffusion couples, reactions, 3: 16
Tantalum-yttrium alloys, corrosion, 2: 47
Tellurium, diffusion in graphite, 1: 21
Thorium, bibliography, 1: 8
C diffusion in, 3: 7
corrosion protection, 4: 26
electroplating, with Cr, 1: 67
with Ni, 1: 67; 2: 69
production, 1: 8
properties, 1: 8–9
Thorium (irradiated), effects, 1: 8
mechanical properties, 3: 7
spallation, 1: 45
tensile properties, 1: 9
Thorium (molten), ThO_2 solubility in, 3: 7
Thorium (Zr-clad), rolling, 3: 66
Thorium aluminide, casting, 1: 19–20
Thorium beryllide, preparation, 1: 20
sintering, 4: 51
Thorium beryllide–thorium–uranium oxide system, sintering, 3: 28
Thorium boride, preparation, 1: 20
Thorium carbide–uranium carbide particles (PyC-coated), specifications, 4: 29
Thorium dicarbide, casting, 1: 19–20
oxidation, 1: 16
Thorium dicarbide–uranium dicarbide particles (PyC-coated), development, 2: 14
Thorium dicarbide–uranium dicarbide particles (PyC-coated) (irradiated), delamination, 4: 33–4
fission-gas release, 2: 17
Thorium dicarbide–uranium dicarbide system, oxidation, 2: 11
Thorium dioxide, densification, 2: 74–5
production, 1: 20
solubility in molten Th, 3: 7
vapor pressure, 3: 7
Thorium dioxide powder, explosive compaction, 2: 72
Thorium dioxide–uranium dioxide ceramics, solution in HNO_3 and ultrasonic activation, 3: 60
Thorium dioxide–uranium dioxide mixtures, vibratory compaction, 3: 67
Thorium hydride, lattice parameters, 4: 52
Thorium monocarbide, casting, 1: 19–20
Thorium monosulfide, hardness and oxidation, 2: 22
Thorium oxide–uranium dispersions, particle preparation, 2: 22–3
Thorium selenides, electrical properties, 4: 38
Thorium silicides, casting, 1: 19–20
Thorium sponge, melting and purification, 4: 79
Thorium sulfide, phase studies, 1: 17
properties, 1: 17; 4: 38
rupture, 1: 17

Thorium tellurides, electrical properties, 4: 38
Thorium-tin alloys, phase studies, 4: 25
Thorium-uranium alloys, casting and melting, 2: 65
Thorium-uranium alloys (irradiated), mechanical properties, 3: 7
Thorium-uranium beryllides, oxidation, 3: 8
Thorium-uranium borides, compressive strength, oxidation, and thermal expansion, 3: 8
Thorium-uranium carbides, compressive strength, oxidation, and thermal expansion, 3: 8
Thorium-uranium compounds, casting, 1: 19
Thorium-uranium dicarbide (C-coated), fuel migration, 1: 11
preparation, 3: 10–11
thermal cycling, 1: 11
Thorium–uranium dicarbide (C-coated) (irradiated), effects, 3: 12, 14
fission-gas release, 1: 11, 13–14
Thorium-uranium-zirconium alloys, phase studies, 4: 25
Thorium-ytterbium alloys, phase studies, 1: 8
Thorium-zirconium alloys, aging effects, 2: 11
hardness, 1: 8–9; 2: 11
heat-treatment effects, 2: 11
phase studies, 1: 8; 2: 11; 4: 25
Tin, reaction with UC, 4: 36
self-diffusion, 2: 59
Tin (irradiated), annealing, 2: 50
phase transformation, 4: 6
Tin oxide crystals, vapor deposition, 4: 85
Tin-zirconium alloys, H absorption, 2: 42
oxidation, 3: 41
Tin-zirconium compounds, corrosion, 2: 42
Titanium, chemical plating ceramics with, 1: 68
corrosion, 1: 41; 2: 46; 4: 63
explosive extrusion, 1: 70
melting, 1: 63
solubility in Li, 1: 42
Titanium (irradiated), corrosion, 4: 60
isochronal annealing, 2: 48
Titanium alloys, explosive forming, 2: 71
hydriding, 4: 53
Titanium alloys (6Al-4V), explosive welding, 3: 71–3
Titanium alloys (B120VCA), explosive welding, 3: 71, 73
Titanium carbide, compatibility with H_2 and W, 1: 58
melting, 1: 64
Titanium coatings, preparation, 3: 70
Titanium diboride, compatibility with H_2 and W, 1: 58
Titanium diboride crucibles, reaction with Ce-Co-Pu alloy, 3: 4–5
Titanium monocarbide crucibles, reaction with Ce-Co-Pu alloy, 3: 4–5
Titanium nitride, compatibility with H_2 and W, 1: 58
Titanium systems, diffusion, 1: 58
Titanium-tungsten alloys, ceramic coatings for, 3: 70
Titanium-uranium alloys, oxidation, 2: 3
strength, 3: 2
Titanium-uranium-zirconium alloys, phase studies, 4: 18
Transducers, ultrasonic testing, 1: 73
Tubing, planetary swaging, 4: 80
ultrasonic testing, 2: 75–6
Tungsten, boriding, 3: 69
brazing alloys, 4: 87
chemical plating of, 1: 69; 2: 69; 3: 69
chemical plating with, 1: 68; 3: 69; 4: 84
compatibility, with borides, 1: 58
with carbides, 1: 58; 3: 40
with nitrides, 1: 58
with oxides, 1: 58; 3: 40
corrosion, 1: 41; 2: 45; 4: 60–3
creep properties, 2: 53
deposition, 2: 69; 3: 9, 69; 4: 84
electrical resistivity, 2: 31
electroplating with Cr cermets, 2: 68–9
explosive forming, 1: 70; 2: 70–1
extrusion, 2: 66
forging, 2: 66
Lorentz ratios, 2: 31
mechanical properties, 3: 55
melting, 1: 63–4
notch sensitivity, 1: 55
oxidation, 1: 39; 2: 45
production, 3: 69
protective coatings, 1: 39; 3: 70
reaction with carbides, 4: 36
tensile properties, 1: 55; 2: 53
thermal conductivity, 2: 31
thermoelectric power, 2: 31
welding, 4: 87
Tungsten (Al-Sn coated), oxidation, 4: 61
Tungsten (irradiated), annealing, 2: 50
field-ion microscopy, 4: 65
lattice defects, 4: 65
Tungsten (silicide-coated), chemical plating, 4: 84
oxidation, 2: 45
Tungsten alloys, development, 1: 63–4
extrusion, 3: 55–6
fabrication, 3: 65
heat-treatment, 3: 65
hot hardness, 3: 55
mechanical properties, 3: 55–6
melting, 3: 64
oxidation, 3: 55
sintering, 2: 58
strength, 2: 53, 58
Tungsten alloys (coated), corrosion, 4: 61
Tungsten boride, compatibility with H_2 and W, 1: 58
Tungsten carbide, compatibility with H_2 and W, 1: 58
corrosion, 1: 41
Tungsten crucibles, compatibility with BeO and machining, 3: 28
Tungsten disilicide, oxidation, 2: 45
Tungsten powder, explosive compaction, 2: 72–3
rolling, 2: 65
Tungsten systems, diffusion, 1: 58
Tungsten–uranium dicarbide diffusion couples, reactions, 3: 16
Tungsten–uranium dioxide powder, explosive compaction, 2: 73
Tungsten-zirconium alloys, H absorption, 2: 42
Tungsten-zirconium compounds, corrosion, 2: 42
Tungsten–zirconium dioxide (CaO) couples, reactions, 3: 59

U

Ultrasonic testing, symposia, 1: 72–3
techniques, 3: 75
transducers, 1: 73
Uranium, atomic position parameter, 1: 1
cell dimensions, 1: 1
chemical plating with Ni, 2: 69
corrosion, 2: 5; 3: 1–2
data compilation, 2: 3
diffusion, 1: 58; 2: 3, 21; 3: 1; 4: 21
diffusion bonding to Al and Ni, 1: 67
dimensional stability, 1: 1
electroplating of, 1: 67–8; 2: 69; 3: 68
electroplating with, 1: 68–9
extrusion, 1: 64–5
formability, 1: 64
grain refinement, 4: 16
heat-treatment, 2: 1, 3, 66
H_2 diffusion, 1: 58; 2: 3
ingot production, 1: 63
interatomic distances, 1: 1
mechanical properties, 2: 1; 4: 16
melting, 4: 79
outgassing, 2: 66
oxidation, 3: 3; 4: 21
phase transformation, 3: 1; 4: 17
preferred orientation, 1: 1
purification, 4: 79
rare-gas diffusion, 1: 58
reaction with steam, 4: 21
reaction with water, 1: 43–4
recrystallization, 3: 1–2
rolling effects, 2: 1
self-diffusion, 2: 59; 3: 1; 4: 16
solubility in Al, 4: 21
solubility in UC, 3: 15–16
structure, 4: 17
substructure, 3: 2
thermal conductivity, 1: 2
thermal-cycling effects, 1: 1
Uranium (Al-clad), diffusion bonding, 2: 68
Uranium (Al-Si coated), fabrication, 2: 68
Uranium (C-coated), U diffusion, 1: 11–12
Uranium (C-coated) (irradiated), fission-gas release, 1: 11
Uranium (irradiated), behavior as function of fabrication, 1: 1
bubble formation, 2: 24
creep, 1: 20
dimensional changes, 1: 20–1; 2: 1, 3, 23–4; 3: 18; 4: 17
dislocation loops, 2: 23
effects, 3: 18; 4: 67
ejection by fission fragments, 3: 45
gas bubbles, 1: 21
Kr^{85} release, 4: 17
mechanical properties, 1: 1–2
melting, 4: 17
oxidation, 3: 3
stability, 2: 1–3
thermal-cycling effects, 1: 20
Xe^{133} diffusion, 4: 38–9
Uranium (molten), density, 3: 1
reaction with water, 3: 43–4
Uranium (Ni-coated), chemical plating, 4: 84
Uranium (Zircaloy-2-clad) (irradiated), swelling, 3: 18; 4: 17
Uranium alloys, corrosion, 2: 5
diffusion studies, 1: 58; 2: 3
extrusion, 1: 64–5
phase studies, 2: 4
Uranium alloys (irradiated), dimensional changes, 2: 24
Uranium beryllides, sintering, 4: 51
Uranium carbide particles (C-coated) (irradiated), fission-gas release, 4: 32–3
fracture, 4: 33
Uranium carbide particles (PyC-coated), properties, 4: 29–31
Uranium carbide particles (PyC-coated) (irradiated), fission-gas release, 4: 33
Uranium carbide powders (irradiated), Xe^{133} diffusion, 4: 36
Uranium carbides, bibliography, 2: 20
casting, 1: 18
compatibility with H_2 and W, 1: 58
reactions with Pb and Sn, 4: 36
sintering, 4: 38
technology, 1: 16
Uranium carbides (irradiated), effects, 1: 17; 2: 21
Uranium compacts, extrusion, 1: 64–5
Uranium compounds, diffusion studies, 1: 58; 2: 3
Uranium dibismuthide (irradiated), Xe^{133} diffusion from, 3: 18

Uranium dicarbide, dissociation pressure, 4: 36
oxidation, 1: 16
phase transformation, 2: 20
reaction with metals, 4: 36
reaction with water, 1: 16–17
Uranium dicarbide (C-coated), coating rupture, 1: 12
Uranium dicarbide (C-coated) (irradiated), effects, 1: 13; 3: 12, 14
fission-gas release, 1: 12, 14; 3: 11–12
Uranium dicarbide (irradiated), compatibility with NaK, 2: 22
Uranium dicarbide particles (PyC-coated), compatibility with HNO_3, 2: 15
fuel-element fabrication, 2: 14–15
Uranium dicarbide particles (PyC-coated) (irradiated), fission-gas release, 2: 16–17; 4: 34
Uranium dioxide, applications, 1: 14
compatibility, with cladding materials, 1: 15
with metals, 4: 34
diffusion studies, 1: 58; 2: 3
electrical conductivity, 2: 18
explosive compaction, 1: 71; 3: 73–4
fabrication of porous, 1: 16
flame spraying, 3: 15
F removal, 1: 16
gas evolution on heating, 1: 16
Nb diffusion in, 1: 58
outgassing, 3: 15
oxidation, 2: 18
phase studies, 1: 14
plasma-jet spraying with, 3: 70
power-generation simulation, 3: 15
pressure bonding, 2: 67
properties, 1: 14; 4: 34
rare-gas diffusion, 1: 58
self-diffusion, 1: 58
solid solutions, 1: 14
Sr diffusion in, 1: 58
thermal conductivity, 1: 15; 2: 18
vaporization, 2: 18
vibratory compaction, 3: 66–8
Zr diffusion in, 1: 58
Uranium dioxide (Al-clad), diffusion bonding, 2: 67–8
Uranium dioxide (Al_2O_3-coated), preparation, 1: 10–11; 3: 10
Xe release, 1: 11
Uranium dioxide (Al_2O_3-coated) (irradiated), fission-gas release, 1: 12; 3: 12
Uranium dioxide (Be-clad), bonding, 1: 65; 2: 67; 4: 46
Uranium dioxide (C-coated), preparation, 3: 10
Uranium dioxide (C-coated) (irradiated), Xe^{133} release, 3: 12
Uranium dioxide (clad), swaging, 1: 65; 3: 65–6
Uranium dioxide (Cr-coated), preparation, 3: 8–9
Uranium dioxide (enriched), density, 4: 34
Uranium dioxide (Inconel X-clad), pressure bonding, 2: 67
Uranium dioxide (Fe-coated), preparation, 3: 8–9
Uranium dioxide (irradiated), crystal growth, 1: 15
effects, 1: 14
electrical conductivity, 2: 18
fission-product release, 1: 21; 2: 23; 3: 18; 4: 34
I^{133} and I^{135} diffusion in, 3: 18
Kr^{85} diffusion in, 3: 18
melting point, 2: 17–18; 3: 14–15
properties, 4: 34
stored-energy release, 4: 39
thermal conductivity, 1: 16; 2: 18
vaporization, 2: 18; 4: 39
Xe^{133} diffusion in, 1: 15; 2: 23; 3: 18; 4: 39
Xe^{135} diffusion in, 3: 18
Uranium dioxide (Mo-coated), preparation, 3: 8–9
Uranium dioxide (Ni-coated), preparation, 3: 8–9
Uranium dioxide (PuO_2-enriched), irradiation testing, 3: 6
Uranium dioxide (sintered), grain growth, 4: 34
microscopy, 2: 18
Uranium dioxide (S.S.-clad), coextrusion, 3: 66
pressure bonding, 1: 66; 2: 67; 4: 81
tandem rolling, 3: 66
Uranium dioxide [S.S.(304)-clad], stress-corrosion cracking, 3: 38
Uranium dioxide [S.S.(304L)-clad], pressure bonding, 2: 67
Uranium dioxide [S.S.(316L)-clad], bonding, 4: 80
Uranium dioxide [S.S.(406)-clad], pressure bonding, 2: 67
Uranium dioxide (Zircaloy-clad), hydriding, 3: 37
Uranium dioxide (Zircaloy-2-clad), pressure bonding, 2: 67
welding, 3: 71
Uranium dioxide (Zircaloy-4-clad), pressure bonding, 2: 67
Uranium dioxide dispersions [S.S.(347)-clad] (irradiated), effects, 1: 10
Uranium dioxide particles (Al_2O_3-coated), corrosion, 2: 14
development, 2: 13
graphite-matrix grain orientation, 4: 27–8
oxidation, 2: 14
preparation, 4: 27
Uranium dioxide particles (Al_2O_3-coated) (irradiated), fission-gas release, 2: 15–16
Uranium dioxide particles (BeO-coated), development, 2: 13–14
oxidation, 2: 14
preparation, 4: 27
Uranium dioxide particles (C-coated), preparation, 2: 13
Uranium dioxide particles (ceramic-coated) (irradiated), leached U, 4: 31–2
Xe^{133} retention, 4: 31–2
Uranium dioxide particles (MgO-coated), corrosion, 2: 14
development, 2: 13–14
preparation, 4: 27
properties, 4: 27
Uranium dioxide particles (Ni-coated), preparation, 2: 12
Uranium dioxide particles (PyC-coated) (irradiated), fission-gas release, 2: 16–17
Uranium dioxide powders, compaction, 2: 72; 4: 82–3
sintering, 1: 16
Uranium dioxide powders [S.S.(AISI-406)-canned], vibratory compaction, 4: 82
Uranium dioxide–zirconium dioxide mixture, coating with pyrolytic C, 3: 69
Uranium dioxide–zirconium dioxide systems, phase studies, 1: 16
reduction of ZrO_2, 2: 19
solid-solution studies, 2: 19
thermodynamic properties, 2: 19
Uranium dioxide–zirconium dioxide systems (irradiated), dimensional changes, 4: 5
phase studies, 1: 16
thermal conductivity, 1: 16
Uranium disilicide, preparation, 3: 64
Uranium films, surface structure, 4: 16
Uranium monocarbide, annealing, 1: 19
C self-diffusion, 2: 21
casting, 1: 18
compatibility, with Al-Nb-V and Nb-Zr alloys, 1: 17
with Co, 3: 17
explosive compaction, 1: 71
grain growth, 3: 16
oxidation, 1: 16; 3: 16
plastic deformation, 2: 21
preparation, 2: 22; 3: 64
pressing, 1: 19
production, 1: 19
reaction, with Be, 1: 59
with metallic carbides, 1: 17
with metals, 1: 59; 4: 35–6
with water, 1: 16–17
solubility in carbides, 1: 17
storage, 1: 19
U self-diffusion, 2: 21
U solubility in, 3: 15–16
Xe^{133} diffusion from, 3: 16
Uranium monocarbide (irradiated), annealing, 2: 22
damage, 2: 23
density, 1: 17
lattice strain, 2: 22
resistivity, 2: 22
Uranium monocarbide [S.S.(304)-clad] (irradiated), damage, 2: 21
Uranium monocarbide compacts, failure, 3: 17
Uranium monocarbide particles (PyC-coated) fission-product retention, 2: 14
Uranium monocarbide powder, explosive compaction, 2: 72
metallurgy, 1: 18–19
production, 2: 22
sintering, 1: 18–19; 3: 17
Uranium mononitride, compatibility with Ni, 3: 17
Uranium mononitride (irradiated), damage, 2: 23
density, 4: 36, 38
Uranium monosulfide, hardness, 2: 22
oxidation, 2: 22
physical properties, 3: 16
reaction with metals and alloys, 2: 22
Uranium nitride dispersions [S.S.(347)-clad] (irradiated), effects, 1: 10
Uranium oxides, electroplating, 1: 68
lattice parameters, 3: 15
Uranium oxides (U_3O_7), phase studies, 2: 18–19
Uranium oxides (U_3O_8), dissociation, 2: 18
heat capacity, 4: 35
reduction by H, 3: 14
solid-phase reactions, 4: 35
Uranium oxides (U_3O_8) (Al-clad), coextrusion, 2: 68
Uranium oxides (U_3O_8) (irradiated), stored-energy release, 4: 39
Uranium oxides (U_4O_9), oxidation, 2: 19
Uranium oxides (U_4O_9) (irradiated), stored-energy release, 4: 39
Uranium selenides, electrical properties, 4: 38
Uranium sesquicarbide (irradiated), compatibility with NaK, dimensional changes, and electrical resistivity, 2: 22
Uranium sheet, recrystallization, 4: 16–17
Uranium silicides, compatibility with S.S.(304), 1: 18
dynamic modulus, 1: 18
electrical resistivity, 1: 5, 17
thermal properties, 1: 5, 17
Uranium silicides (U_3Si_2), preparation, 3: 64
Uranium sulfides, oxidation, 1: 17
phase studies, 1: 17
powder production, 1: 19
properties, 1: 17; 4: 38
rupture, 1: 17
Uranium systems, intermediate layer growth, 2: 59

Uranium tellurides, electrical properties, 4: 38
Uranium trioxide, dissociation, 2: 18
reduction, 3: 14
Uranium tubing, production, 1: 63; 4: 79–80
Uranium–uranium dioxide dispersions, oxide effects, thermal cycling, and transverse bend strength, 1: 2–3
Uranium–uranium monocarbide cermets, grain growth, 3: 16
Uranium-vanadium alloys, oxidation, 2: 3
Uranium-yttrium alloys (irradiated), swelling, 2: 5
Uranium-zinc alloys, preparation, 1: 6
Uranium-zirconium alloys, corrosion, 2: 4
electrical resistivity, 2: 4
extrusion, 4: 82
heat-treatment, 1: 3; 4: 18
magnetic susceptibility, 2: 4
metallography, 1: 3
oxidation, 2: 3
phase studies, 4: 18
U self-diffusion, 3: 2
Uranium-zirconium alloys (irradiated), bubble formation, 1: 4
dimensional changes, 4: 18–20
metallography, 1: 3
point defects, 3: 18
Uranium-zirconium alloys (molten), reaction with water, 4: 21
Uranium-zirconium alloys (Zircaloy-clad), coextrusion, 4: 81–2
Uranium-zirconium beryllides, 1: 30
Uranyl sulfate solutions, corrosive effects, 2: 46

V

Vanadium, chemical plating of, 2: 69
corrosion, 4: 63
deoxidation, 1: 64
melting, 1: 64
reaction with US, 2: 22
Vanadium alloys, protective coatings for, 3: 70
Vanadium alloys (coated), corrosion, 4: 61
Vanadium oxide (V_2O_5), solid-phase reaction, 4: 35
Vanadium systems, diffusion, 1: 58
Vanadium-zirconium intermetallic compounds, hydriding, 4: 52–3
Vycor, coating with PyC, 3: 69

W

Waspalloy, corrosion, 1: 41
Welding, joint evaluation, 3: 71
ultrasonic, 2: 69–70
ultrasonic testing, 3: 74–5
Wigner energy, 2: 37
Windscale Advanced Gas-Cooled Reactor, stainless steel for canning, 3: 22

X

Xenon isotopes, diffusion, 1: 21; 3: 18

Y

Yttrium, coating with ceramics, 1: 69–70; 2: 75
corrosion, 4: 55
elasticity, 3: 29
fabrication, 2: 65
Yttrium coatings, preparation, 3: 70
Yttrium hydride, H content, 3: 28
pressure-composition isotherms, 3: 29
properties, 2: 36; 3: 29
solubility relations, 3: 29
Yttrium oxide, diffusion in graphite, 1: 21
self-diffusion, 4: 75
sintering, 4: 75
Yttrium oxide crucibles, reaction with Mn-Pu-U alloy, 3: 5

Z

Zinc, plating, 3: 68
Zinc (irradiated), diffusion in irradiated Cu-Zn alloy, 1: 46
Zircaloy, brazing, 2: 70
creep properties, 2: 53
extrusion, 4: 82
joining, 4: 86
ultrasonic testing, 2: 75–6; 4: 88
Zircaloy-2, annealing, 2: 58
bonding to S.S., 1: 71; 2: 68; 3: 74; 4: 80, 87–8
brazing, 3: 71
corrosion, 2: 42–3; 3: 37; 4: 57
creep activation energy, 4: 73
deformation twinning, 3: 57–8
F pickup, 4: 57
fracture properties, 2: 54–5
hydriding, 1: 39; 2: 42; 3: 37; 4: 58
oxidation, 3: 41
plasma-jet spraying with UO_2, 3: 70
stress effects, 2: 54–5
U diffusion into, 2: 21
ultrasonic testing, 1: 73; 4: 88
welding, 1: 71; 3: 71
X-ray diffraction, 1: 57
yield properties, 2: 54–5
Zircaloy-2 (Al-clad), hydriding, 4: 58
Zircaloy-2 (irradiated), corrosion, 4: 60, 69
creep properties, 1: 50; 2: 51
fatigue properties, 2: 51–2
mechanical properties, 3: 50, 54; 4: 69–70
rupture, 1: 50
stress-rupture properties, 2: 51
tensile properties, 1: 49–50; 2: 51
Zircaloy-2 (molten), reaction with water, 3: 43
Zircaloy-2 (S.S.-clad), hydriding, 4: 58
pressure bonding, 1: 65
rolling, 2: 67
Zircaloy-2 (UO_2-coated), preparation, 3: 15
Zircaloy-2 powder, explosive compaction, 2: 73
Zircaloy-2 tubing, fabrication and ultrasonic drawing, 3: 65
Zircaloy-3, corrosion, 2: 42
Zircaloy-3 (molten), reaction with water, 2: 47
Zircaloy-4, aqueous corrosion, 4: 57
F pickup, 4: 57–8
Zirconium, adiabatic elastic moduli, 2: 58
annealing, 1: 52
chemical plating ceramics with, 1: 68
corrosion, 1: 41; 2: 42–3, 46; 4: 57–8, 63
deformation, 1: 57
diffusion in, 1: 58; 2: 59–61; 4: 57, 74
electroplating with, 1: 68
hydriding, 1: 39; 2: 42; 4: 58
melting, 1: 63
oxidation, 3: 41; 4: 57
production, 1: 63
reaction, with CO_2, 3: 37–8
with US, 2: 22
with water, 1: 43
recovery, 2: 66
recrystallization, 2: 66
scaling, 2: 41
ultrasonic testing, 4: 88
welding, 2: 70
X-ray diffraction, 1: 57
Zirconium (irradiated), annealing, 1: 52; 2: 48
electrical resistivity, 1: 52
hardness, 1: 52
mechanical properties, 4: 70
oxidation, 4: 57
vacancy diffusion, 1: 52
Zirconium (molten), reaction with water, 3: 43
Zirconium alloys, corrosion, 1: 39; 2: 42
hardness, 1: 56
hydriding, 2: 42; 4: 53
recovery, 2: 66
recrystallization, 2: 66
strength, 1: 39
Zirconium beryllides, C and O effects, 1: 30
heating effects, 1: 30
oxidation, 1: 30; 4: 51–2
preparation, 1: 30
rupture, 1: 30
sintering, 4: 51
spalling, 1: 30
strength, 1: 30
thermal-stress resistance, 1: 30
vapor pressure, 3: 28
Zirconium carbides, compatibility, with H_2, 1: 58
with Mo, 3: 40
with Nb, 3: 40
with W, 1: 58; 3: 40
pyrolytic deposition, 3: 69
strength, 4: 85
UC behavior with, 1: 17
Zirconium coatings, preparation, 3: 70
Zirconium deuteride, electrical resistivity, 2: 36
Zirconium diboride, compatibility with H_2 and W, 1: 58
melting, 1: 64
Zirconium diboride crucibles, reaction with Ce-Co-Pu alloy, 3: 4–5
Zirconium diboride dispersions [S.S.(347)-clad] (irradiated), effects, 1: 10
Zirconium dioxide, chemical plating with, 1: 69
compatibility with H_2 and W, 1: 58
diffusion in graphite, 1: 21
PuO_2 effects on thermal-shock properties, 1: 8
Zirconium dioxide (irradiated), dimensional changes, 4: 3
mechanical properties, 4: 5
phase transformation, 4: 7
Zirconium hydride, bibliography, 4: 52
cladding, 2: 35–6
dissociation pressures, 1: 31; 4: 52
H content, 3: 28
mechanical properties, 2: 35
moderator evaluation, 4: 52
nuclear magnetic resonance, 4: 52
phase studies, 1: 31; 3: 29
rupture, 1: 31
Zirconium hydride (S.S.-clad), pressure bonding, 2: 67
Zirconium monocarbide crucibles, reaction with Ce-Co-Pu alloy, 3: 4–5
Zirconium monoxide, diffusion in graphite, 1: 21
Zirconium nitride, compatibility with H_2 and W, 1: 58
Zirconium oxide, compatibility with Mo, Nb, and W, 3: 40
oxidation, 4: 57
Zirconium oxide coatings, cohesive strength, 3: 70
Zirconium systems, diffusion, 1: 58
Zirconium–uranium hydride, thermal expansion, 1: 32

LEGAL NOTICE

This document was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

NUCLEAR SCIENCE ABSTRACTS

The U. S. Atomic Energy Commission, Division of Technical Information, publishes *Nuclear Science Abstracts (NSA)*, a semimonthly journal containing abstracts of the literature of nuclear science and engineering.

NSA covers (1) research reports of the U. S. Atomic Energy Commission and its contractors; (2) research reports of government agencies, universities, and industrial research organizations on a world-wide basis; and (3) translations, patents, books, and articles appearing in technical and scientific journals.

Complete indexes covering subject, author, source, and report number are included in each issue. These are cumulated quarterly, semiannually, and annually providing a detailed and convenient key to the literature.

Availability of *NSA*

SALE *NSA* is available on subscription from the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C., at $22.00 per year for the semimonthly abstract issues and $15.00 per year for the four cumulated-index issues. Subscriptions are postpaid within the United States, Canada, Mexico, and all Central and South American countries, except Argentina, Brazil, British and French Guiana, Surinam, and British Honduras. Subscribers in these Central and South American countries, and in all other countries throughout the world, should remit $27.50 per year for subscriptions to semimonthly abstract issues and $17.50 per year for the four cumulated-index issues.

EXCHANGE *NSA* is also available on an exchange basis to universities, research institutions, industrial firms, and publishers of scientific information. Inquiries should be directed to the Division of Technical Information Extension, U. S. Atomic Energy Commission, P. O. Box 62, Oak Ridge, Tennessee.